

Jurnal Ilmiah  
**FARMASI**

(Scientific Journal of Pharmacy)



**JURNAL ILMIAH FARMASI**  
(SCIENTIFIC JOURNAL OF PHARMACY)

**PIMPINAN UMUM/ PENANGGUNG JAWAB**  
Dekan Fakultas Matematika dan Ilmu Pengetahuan Alam  
Universitas Islam Indonesia

**WAKIL PIMPINAN UMUM/ WAKIL PENANGGUNG JAWAB**  
Ketua Jurusan Farmasi FMIPA UII

**MITRA BESTARI**

1. Prof. Dr. Wiryatun Lestariana, Apt
2. Prof. Dr. Zullies Ikawati, Apt
3. Prof. Dr. Sudibyo Martono, Apt
4. Dr. Tedjo Yuwono, Apt
5. Prof. Dr. Dachriyanus, Apt
6. Prof. dr. Iwan Dwiprahasto, MMedSc, PhD
7. Prof. Dr. Lukman Hakim M.Sc., Apt
8. Prof. Dr. Achmad Fudholi, DEA, Apt
9. Prof. Dr. Ibnu Gholib Gandjar, DEA., Apt

**DEWAN EDITOR**

Ketua : Saepudin, M.Si., Apt  
Sekretaris : Rochmy Istikharah, M.Sc., Apt.  
Anggota : Vitarani Dwi Ananda Ningrum, M.Si., Apt  
Okti R. Mafruhah, MSc., Apt  
Dimas Adhi Pradana, MSc., Apt.  
Fithria DA. Suryanegara, MSc., Apt.  
Ari Wibowo, S.Farm., Apt  
Arba Pramudita Ramadani, MSc., Apt.  
Oktavia Indrati, S.Farm., Apt.

**Penerbit**

Jurusan Farmasi Fakultas Matematika dan Ilmu Pengetahuan Alam  
Universitas Islam Indonesia

**Alamat Penerbit**

Jurusan Farmasi FMIPA UII  
Jl. Kaliurang Km. 14,4 Yogyakarta 55584  
Telp. (0274) 896439 ext. 3047  
Email: jif@uii.ac.id

## **EFEK ANALGESIK FRAKSI ETANOL DARI EKSTRAK ETANOL DAUN MINDI (*Melia azedarach* L.) PADA MENCIT JANTAN**

Indah Purwantini, Purwantiningsih, dan Oktavia Eka Puspita

Fakultas Farmasi Universitas Gadjah Mada

### **ABSTRACT**

Indonesia has a lot of traditional medicines, which people used long time ago, one of these is mindi (*Melia azedarach* L.). It have been known that ethanolic extract of mindi leaves has analgesic effect greater than paracetamol at dose 6.44 mg/kgBW and 12.89 mg/kgBW. This research conducted to find out the effectiveness ethanolic fraction of ethanolic extract as an analgesic. The research was carried out in completely random one way design, used 35 mice which have been fasted for 24 hours. The mice were divided into 7 groups i.e. negative control, positive control and 5 testing groups (in different doses). Fifteen minutes after injected with the fractions of mindi, the mice were given acetic acid 0.5% intraperitoneally injection. The cumulative writhes were calculated in every 5 minutes for one hour and were counted the protection percentage. Results showed that the ethanol fractions doses 12,88-103,04 mg/kgBW of mindi leaves have the analgesic effect in mice and gave protection percentage 30.93-71.61%. The chromatograms of TLC indicated that the fraction contain flavonoids and phenolic compounds.

Key words: ethanol fraction of mindi, analgesic effect, TLC profile