GAIKNDO WHOLESALES DATA
`JANFEB 2018

1. SEDAN TYPE SALES `JANFEB 2018

CATEGORY		BRAND	TYPE MODEL	SPECIFICATION																		MONTH												SHARE BY BRAND	MARKET SHARE	TOTAL 2018
				CC	TRANS	FUEL	TANK CAPT	GVW (Kg)	GEAR RATIO	WHEEL & TYRE SIZE	PS / HP	WHEEL BASE	DIMENSION P x L xT	SEATER	DRIVE SYS.		SPEED	DOOR	WHEELS	CBU / CKD	ORIGIN COUNTRY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC			
SEDAN TYPE	CC < 1.500 [G/D]	HONDA	All New City IVTEC E AT	1497	AT	G	40	-	-	16 x 6J	120	2,600	4442 x 1694 x 1477	5	4X2	FF	-	4	4	CBU	Thailand	140	150	-	-	-	-	-	-	-	-	-	-	40.6%	22.6%	290
			All New City IVTEC ES AT	1497	AT	G	40	-	-	16 x 6J	120	2,600	4442 x 1694 x 1477	5	4X2	FF	-	4	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			All New Civic	1500	AT	G	57	1285	-	-	141	2,700	4542 x 1755 x 1435	5	4X2	FF	-	4	4	CBU	Thailand	141	171	-	-	-	-	-	-	-	-	-	-	43.6%	24.3%	312
			All New Civic Prestige	1500	AT	G	57	1285	-	-	141	2,700	4542 x 1755 x 1435	5	4X2	FF	-	4	4	CBU	Thailand	56	57	-	-	-	-	-	-	-	-	-	-	15.8%	8.8%	113
										TOTAL												**337**	**378**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**100%**	**56%**	**715**
										CUMULATIVE												337	715													
	CC 1.501 - 3.000 [G] / 2.500 [D]	BMW	3F19 320i	2000	AT	G	-	-	-	-	-	-	-	-	4X2	-	-	5	4	CKD	Indonesia	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			8A36 320I	2000	AT	G	-	-	-	-	-	-	-	-	4X2	-	-	5	4	CKD	Indonesia	59	28	-	-	-	-	-	-	-	-	-	-	16.1%	6.8%	87
			8C76 320D	2000	AT	G	-	-	-	-	-	-	-	-	4X2	-	-	5	4	CKD	Indonesia	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			8A96 330I	2000	AT	G	-	-	-	-	-	-	-	-	4X2	-	-	5	4	CKD	Indonesia	13	16	-	-	-	-	-	-	-	-	-	-	5.4%	2.3%	29
			JC36 520D	2000	AT	D	-	-	-	-	-	-	-	-	4X2	-	-	4	4	CKD	Indonesia	3	13	-	-	-	-	-	-	-	-	-	-	3.0%	1.2%	16
			JA52 530i	2000	AT	G	-	-	-	-	-	-	-	-	4X2	-	-	4	4	CBU	Germany	-	2	-	-	-	-	-	-	-	-	-	-	0.4%	0.2%	2
			JA16 520I	2000	AT	G	60	-	-	-	-	-	-	-	4X2	FR	-	4	4	CBU	Germany	23	6	-	-	-	-	-	-	-	-	-	-	5.4%	2.3%	29
			JA56 530i	2000	AT	G	-	-	-	-	-	-	-	-	4X2	-	-	4	4	CBU	Germany	15	11	-	-	-	-	-	-	-	-	-	-	4.8%	2.0%	26
			7E26 740LI	2979	AT	G	-	-	-	-	-	-	-	-	4X2	-	-	4	-	CKD	Indonesia	1	1	-	-	-	-	-	-	-	-	-	-	0.4%	0.2%	2
		HYUNDAI	All New Sonata	2400	AT	G	70	2030	-	-	-	-	4820 x 1835 x 1470	4	4X2	-	-	4	4	CBU	Korea	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		HONDA	New ACCORD VTi-L	2354	AT	G	65	1525	-	-	176	2,275	4870 x 1850 x 1465	5	4X2	FF	-	4	4	CBU	Thailand	10	15	-	-	-	-	-	-	-	-	-	-	4.6%	1.9%	25
		LEXUS	Lexus GS 200	2500	AT	G	66	2170	-	225 / 50 R17	204 / 6400	-	1850X1820X1455	4	4X2	FR	-	4	4	CBU	Japan	1	-	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	1
			Lexus GS-F	2500	AT	G	66	2170	-	225 / 50 R17	204 / 6400	-	1850X1820X1455	4	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Lexus GS 250	2500	AT	G	66	2170	-	225 / 50 R17	204 / 6400	-	1850X1820X1455	4	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		MAZDA	MX5	1999	AT	G	50	-	3863	205/45R17	160	2,330	4020 x 1720 x 1255	2	4X2	FF	-	4	4	CBU	Japan	8	7	-	-	-	-	-	-	-	-	-	-	2.8%	1.2%	15
			All New Mazda6	2488	AT	G	64	-	4056	225/45R19	187	2,830	4865 x 1840 x 1450	5	4X2	FF	-	4	4	CBU	Japan	5	2	-	-	-	-	-	-	-	-	-	-	1.3%	0.5%	7
		NISSAN	New Teana (FMC '14)	2496	AT	G	70	1930	-	215 / 55 / R17	182	2,775	4,850 x 1,795 x 1,485	5	4X2	-	-	4	4	CBU	Thailand	5	2	-	-	-	-	-	-	-	-	-	-	1.3%	0.5%	7
		TOYOTA	All New Corolla Altis V AT	1800	AT	G	55	1270	5	21545R17	151 / 6400	2,700	4620X1776X1460	5	4X2	FF	-	4	4	CBU	Thailand	37	59	-	-	-	-	-	-	-	-	-	-	17.7%	7.5%	96
			All New Camry 2.5 G	2500	AT	G	70	1465	3815	215/60R16	181 / 6000	2,775	4825X1825X1470	5	4X2	FF	-	4	4	CBU	Thailand	5	8	-	-	-	-	-	-	-	-	-	-	2.4%	1.0%	13
			All New Camry 2.5 V	2500	AT	G	70	1465	3815	215/55R17	181 / 6000	2,775	4825X1825X1470	5	4X2	FF	-	4	4	CBU	Thailand	43	133	-	-	-	-	-	-	-	-	-	-	32.5%	13.7%	176
			All New Camry 2.5 Hybrid Mi	2500	AT	G	65	1625	3542	215/55R17	156.6 /5700	2,775	4825X1825X1470	5	4X2	FF	-	4	4	CBU	Thailand	1	3	-	-	-	-	-	-	-	-	-	-	0.7%	0.3%	4
			86 AT	2000	AT	G	50	-	-	215/45/R17	147 / 6.800	2,570	4240X1775X1285	5	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			86 TRD	2000	AT	G	50	-	-	215/45/R17	147 / 6.800	2,570	4240X1775X1285	5	4X2	FR	-	4	4	CBU	Japan	3	1	-	-	-	-	-	-	-	-	-	-	0.7%	0.3%	4
			86 Aero	2000	AT	G	50	-	-	215/45/R17	147 / 6.800	2,570	4240X1775X1285	5	4X2	FR	-	4	4	CBU	Japan	2	-	-	-	-	-	-	-	-	-	-	-	0.4%	0.2%	2
			86 MT	2000	MT	G	50	-	-	215/45/R17	147 / 6.800	2,570	4240X1775X1285	5	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
										TOTAL												**234**	**307**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**100%**	**42%**	**541**
										CUMULATIVE												234	541													
	CC > 3.001 [G] / 2.501 [D]	BMW	7E06 730LI	2993	AT	D	-	-	-	-	-	-	-	-	4X2	-	-	4	4	CKD	Indonesia	1	19	-	-	-	-	-	-	-	-	-	-	71.4%	1.6%	20
			2Z22 i8 RHD	2993	AT	D	-	-	-	-	-	-	-	-	4X2	-	-	4	4	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			6H12 640I	4800	AT	G	-	-	-	-	-	-	-	-	4X2	-	-	4	4	CBU	Germany	-	1	-	-	-	-	-	-	-	-	-	-	3.6%	0.1%	1
		LEXUS	Lexus LS 500	3445	AT	G	-	2760	-	245 / 45 R20	-	3,125	5235X1900X1450	4	4X2	FR	10	4	4	CBU	Japan	-	7	-	-	-	-	-	-	-	-	-	-	25.0%	0.5%	7
										TOTAL												**1**	**27**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**100%**	**2%**	**28**
										CUMULATIVE												1	28												**100%**	
			SEDAN TYPE SALES TOTAL																			**572**	**712**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**			**1,284**
			SEDAN TYPE SALES CUMULATIVE																			572	1,284													**0.7%**

2. 4 X 2 TYPE SALES `JANFEB 2018

CATEGORY		BRAND	TYPE MODEL	CC	TRANS	FUEL	TANK CAPT	GVW (Kg)	GEAR RATIO	WHEEL & TYRE SIZE	PS / HP	WHEEL BASE	DIMENSION P x L xT	SEATER	DRIVE SYS.		SPEED	DOOR	WHEELS	CBU / CKD	ORIGIN COUNTRY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Segment Share	4X2 Share	TOTAL 2018
4X2 TYPE	CC < 1.500 [G/D]	AUDI	A3 1.2 TFSI A/T	1275	AT	G	63	1455	3400	225/50R17	170	2,808	4701 x 1826 x 1427	5	4X2	FF	225	4	4	CBU	Germany	1	-	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	1
		CHEVROLET	Spark 1.4L	1400	AT	G	-	-	-	-	-	-	-	-	4X2	-	-	-	-	CBU	South Korea	8	12	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	20
			Trax 1.4L	1398	AT	G	-	-	-	-	-	-	-	-	4X2	FF	-	-	-	CBU	South Korea	92	88	-	-	-	-	-	-	-	-	-	-	0.2%	0.2%	180
		DAIHATSU	Great New Xenia X MT	1298	MT	G	45	1050	5125	-	92	2,655	4140X1660X1695	7	4X2	FR	-	5	4	CKD	INA	1,711	932	-	-	-	-	-	-	-	-	-	-	3.3%	2.6%	2,643
			Great New Xenia X AT	1298	AT	G	45	1050	5125	-	92	2,655	4140X1660X1695	7	4X2	FR	-	5	4	CKD	INA	93	186	-	-	-	-	-	-	-	-	-	-	0.3%	0.3%	279
			Great New Xenia R MT	1298	MT	G	45	1065	5125	-	92	2,655	4140X1660X1695	7	4X2	FR	-	5	4	CKD	INA	1,913	1,166	-	-	-	-	-	-	-	-	-	-	3.8%	3.0%	3,079
			Great New Xenia R AT	1298	AT	G	45	1080	5571	-	92	2,655	4140X1660X1695	7	4X2	FR	-	5	4	CKD	INA	195	245	-	-	-	-	-	-	-	-	-	-	0.5%	0.4%	440
			All New Sirion 1.3 MT 2018	1298	MT	G	40	930	4267	175/65R14	90	2,440	3690X1665X1545	5	4X2	FF	-	5	4	CBU	Malaysia	-	80	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	80
			All New Sirion 1.3 AT 2018	1298	AT	G	40	940	4032	175/65R14	90	2,440	3690X1665X1545	5	4X2	FF	-	5	4	CBU	Malaysia	-	120	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	120
			Gran Max BV	1298	MT	G	43	2000	5125	165R13-8PR	88	2,650	4045X1665X1900	2	4X2	FR	-	5	4	CKD	INA	514	522	-	-	-	-	-	-	-	-	-	-	1.3%	1.0%	1,036
			Gran Max BV 1,5	1500	MT	G	43	2000	5125	165R13-8PR	88	2,650	4045X1665X1900	2	4X2	FR	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Gran Max HI FF	1298	MT	G	43	1840	5125	165R13-8PR	88	2,650	4045X1665X1900	8	4X2	FR	-	5	4	CKD	INA	50	87	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	137
			Gran Max HI	1298	MT	G	43	1840	5125	165R13-8PR	88	2,650	4045X1665X1900	9	4X2	FR	-	5	4	CKD	INA	235	186	-	-	-	-	-	-	-	-	-	-	0.5%	0.4%	421
			Gran Max HI	1495	MT	G	43	1840	4875	165R13-8PR	88	2,650	4045X1665X1900	9	4X2	FR	-	5	4	CKD	INA	140	118	-	-	-	-	-	-	-	-	-	-	0.3%	0.3%	258
			Luxio 1.5 D (New)	1495	MT	G	43	1290	5152	195/65R15	97	2,650	4215X1710X1915	8	4X2	FR	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Luxio 1.5 D MT (New)	1495	MT	G	45	1320	5152	195/65R15	97	2,650	4215X1710X1915	8	4X2	FR	-	5	4	CKD	INA	95	63	-	-	-	-	-	-	-	-	-	-	0.2%	0.2%	158
			Luxio 1.5 X MT (New)	1495	MT	G	43	1320	5152	195/65R15	97	2,650	4215X1710X1915	8	4X2	FR	-	5	4	CKD	INA	149	144	-	-	-	-	-	-	-	-	-	-	0.4%	0.3%	293
			Luxio 1.5 X AT (New)	1495	AT	G	43	1320	5152	195/65R15	97	2,650	4215X1710X1915	8	4X2	FR	-	5	4	CKD	INA	38	36	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	74
			All New Terios X AT	1496	MT	G	45	1245	5571	215/65/R16	104	2,685	4435X1695X1705	7	4X2	FR	-	5	4	CKD	INA	299	52	-	-	-	-	-	-	-	-	-	-	0.4%	0.3%	351
			All New Terios R MT	1496	AT	G	45	1255	5857	215/65/R16	104	2,685	4435X1695X1705	7	4X2	FR	-	5	4	CKD	INA	77	39	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	116
			All New Terios R AT	1496	MT	G	45	1260	5571	215/60/R17	104	2,685	4435X1695X1705	7	4X2	FR	-	5	4	CKD	INA	1,581	913	-	-	-	-	-	-	-	-	-	-	3.1%	2.4%	2,494
			All New Terios R MT	1496	AT	G	45	1270	5857	215/60/R17	104	2,685	4435X1695X1705	7	4X2	FR	-	5	4	CKD	INA	555	601	-	-	-	-	-	-	-	-	-	-	1.4%	1.1%	1,156
		HONDA	Brio RS	1198	MT	G	35	960	-	-	88	2,345	3610 x 1680 x 1485	5	4X2	FF	-	5	4	CKD	INA	365	417	-	-	-	-	-	-	-	-	-	-	1.0%	0.8%	782
			Brio RS	1198	AT	G	35	960	-	-	88	2,345	3610 x 1680 x 1485	5	4X2	FF	-	5	4	CKD	INA	1,062	769	-	-	-	-	-	-	-	-	-	-	2.3%	1.8%	1,831
			All New CR-V	1500	AT	G	58	-	-	-	-	-	-	-	4X2	FF	-	5	4	CKD	INA	108	71	-	-	-	-	-	-	-	-	-	-	0.2%	0.2%	179
			All New CR-V Prestige	1500	AT	G	58	-	-	-	-	-	-	-	4X2	FF	-	5	4	CKD	INA	760	733	-	-	-	-	-	-	-	-	-	-	1.8%	1.5%	1,493
			HR-V A	1497	MT	G	40	-	-	-	-	-	-	5	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			HR-V S	1497	MT	G	40	-	-	-	-	-	-	5	4X2	FF	-	5	4	CKD	INA	301	94	-	-	-	-	-	-	-	-	-	-	0.5%	0.4%	395
			HR-V S	1497	CVT	G	40	-	-	-	-	-	-	5	4X2	FF	-	5	4	CKD	INA	347	86	-	-	-	-	-	-	-	-	-	-	0.5%	0.4%	433
			HR-V E	1497	CVT	G	40	-	-	-	-	-	-	5	4X2	FF	-	5	4	CKD	INA	1,997	2,053	-	-	-	-	-	-	-	-	-	-	5.0%	3.9%	4,050
			BR-V S	1500	MT	G	42	-	-	-	-	-	-	7	4X2	FF	-	5	4	CKD	INA	9	10	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	19
			BR-V E	1500	MT	G	42	-	-	-	-	-	-	7	4X2	FF	-	5	4	CKD	INA	64	106	-	-	-	-	-	-	-	-	-	-	0.2%	0.2%	170
			BR-V E	1500	CVT	G	42	-	-	-	-	-	-	7	4X2	FF	-	5	4	CKD	INA	82	15	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	97
			BR-V E Prestige	1500	CVT	G	42	-	-	-	-	-	-	7	4X2	FF	-	5	4	CKD	INA	30	93	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	123
			All New Jazz S AT 15	1497	AT	G	42	-	-	16 x 6J	120	2,500	3920 x 1695 x 1525	5	4X2	FF	-	5	4	CKD	INA	20	28	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	48
			All New Jazz RS 15	1497	MT	G	42	-	-	16 x 6J	120	2,500	3920 x 1695 x 1525	5	4X2	FF	-	5	4	CKD	INA	148	82	-	-	-	-	-	-	-	-	-	-	0.3%	0.2%	230
			All New Jazz RS AT 15	1497	AT	G	42	-	-	16 x 6J	120	2,500	3920 x 1695 x 1525	5	4X2	FF	-	5	4	CKD	INA	1,027	737	-	-	-	-	-	-	-	-	-	-	2.2%	1.7%	1,764
			Mobilio S	1497	MT	G	42	-	-	15	118	2,650	4386 x 1683 x 1603	7	4X2	FF	-	5	4	CKD	INA	754	441	-	-	-	-	-	-	-	-	-	-	1.5%	1.2%	1,195
			Mobilio E	1497	MT	G	42	-	-	15	118	2,650	4386 x 1683 x 1603	7	4X2	FF	-	5	4	CKD	INA	621	379	-	-	-	-	-	-	-	-	-	-	1.2%	1.0%	1,000
			Mobilio E	1497	CVT	G	42	-	-	15	118	2,650	4386 x 1683 x 1603	7	4X2	FF	-	5	4	CKD	INA	289	432	-	-	-	-	-	-	-	-	-	-	0.9%	0.7%	721
			Mobilio E Prestige	1497	CVT	G	42	-	-	15	118	2,650	4386 x 1683 x 1603	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Mobilio RS	1497	MT	G	42	-	-	15	118	2,650	4386 x 1683 x 1603	7	4X2	FF	-	5	4	CKD	INA	62	80	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	142
			Mobilio RS	1497	CVT	G	42	-	-	15	118	2,650	4386 x 1683 x 1603	7	4X2	FF	-	5	4	CKD	INA	121	182	-	-	-	-	-	-	-	-	-	-	0.4%	0.3%	303
		HYUNDAI	Grand i10	1200	MT	G	35	-	-	-	-	-	-	-	4X2	FF	-	4	4	CBU	India	4	5	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	9
			Grand i10 AT	1200	AT	G	35	-	-	-	-	-	-	-	4X2	FF	-	4	4	CBU	India	6	6	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	12
			All New i20	1400	MT	G	43	-	-	-	-	-	-	4	4X2	-	-	4	4	CBU	India	4	3	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	7
			All New i20 AT	1400	AT	G	43	-	-	-	-	-	-	4	4X2	-	-	4	4	CBU	India	5	3	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	8
		KIA	All New Rio	1400	AT	G	43	1600	4375	185/65 R15	79/6300 (kW/rpm)	2,570	4045 x 1720 x 1455	5	4X2	FF	-	5	4	CBU	Korea	7	14	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	21
			All New Rio	1400	MT	G	43	1600	4059	185/65 R15	79/6300 (kW/rpm)	2,570	4045 x 1720 x 1455	5	4X2	FF	-	5	4	CBU	Korea	5	7	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	12
		MAZDA	All New Mazda2 1.5 R	1498	AT	G	42.8	-	4147	195/45R16	103	2,490	3913 x 1695 x 1475	5	4X2	FF	-	5	4	CBU	Thailand	60	49	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	109
			All New Mazda2 1.5 GT	1498	AT	G	42.8	-	4147	195/45R16	103	2,490	3913 x 1695 x 1475	5	4X2	FF	-	5	4	CBU	Thailand	47	42	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	89
		MINI	MINI Cooper S Countryman	1500	AT	G	40	-	-	-	-	-	-	-	4X2	-	-	3	4	CBU	UK	1	4	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	5
		MITSUBISHI MOTORS	T-120SS 1.5 CHS	1500	MT	G	42	1760	4875	5,50-13-8PR	86	1,970	3720 X 1560 X 1825	7	4X2	FR	140	3	4	CKD	INA	35	13	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	48
			Mirage 1.2L EXCEED (4X2) AT	1200	AT	G	35	1310	3757	14x4 1/2J	77	2,450	3710 X 1665 X 1500	5	4X2	FF	-	4	4	CBU	Thailand	20	48	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	68
			Mirage 1.2L GLS (4X2) AT	1200	AT	G	35	1310	3757	14x4 1/2J	77	2,450	3710 X 1665 X 1500	5	4X2	FF	-	4	4	CBU	Thailand	9	44	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	53
			Mirage 1.2L GLX (4X2) MT	1200	MT	G	35	1280	3757	14x4 1/2J	77	2,450	3710 X 1665 X 1500	5	4X2	FF	-	4	4	CBU	Thailand	19	109	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	128
			Xpander 1.5L Ultimate (4X2) A/T	1499	AT	G	45	1780	4375	205/55 R16	104	2,775	4475 X 1750 X 1700	7	4X2	FF	-	4	4	CKD	INA	4,625	2,487	-	-	-	-	-	-	-	-	-	-	8.8%	6.9%	7,112
			Xpander 1.5L Sport (4X2) A/T	1499	AT	G	45	1780	4375	205/55 R16	104	2,775	4475 X 1750 X 1700	7	4X2	FF	-	4	4	CKD	INA	1,576	2,766	-	-	-	-	-	-	-	-	-	-	5.4%	4.2%	4,342
			Xpander 1.5L Exceed (4X2) A/T	1499	AT	G	45	1780	4375	205/55 R16	104	2,775	4475 X 1750 X 1700	7	4X2	FF	-	4	4	CKD	INA	636	1,219	-	-	-	-	-	-	-	-	-	-	2.3%	1.8%	1,855
			Xpander 1.5L Exceed (4X2) M/T	1499	MT	G	45	1780	4812	205/55 R16	104	2,775	4475 X 1750 X 1700	7	4X2	FF	-	4	4	CKD	INA	198	898	-	-	-	-	-	-	-	-	-	-	1.4%	1.1%	1,096
			Xpander 1.5L GLS (4X2) M/T	1499	MT	G	45	1780	4812	185/65 R15	104	2,775	4475 X 1750 X 1695	7	4X2	FF	-	4	4	CKD	INA	44	10	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	54
			Xpander 1.5L GLX (4X2) M/T	1499	MT	G	45	1780	4812	185/65 R15	104	2,775	4475 X 1750 X 1695	7	4X2	FF	-	4	4	CKD	INA	-	20	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	20
		NISSAN	March 1.2 Mid MT (MC '13)	1200	MT	G	41	1345	-	175 / 60 / R15	76	2,440	3,780 x 1,665 x 1,525	5	4X2	-	-	5	4	CBU	Thailand	125	57	-	-	-	-	-	-	-	-	-	-	0.2%	0.2%	182
			March 1.2 Mid AT (MC '13)	1200	AT	G	41	1345	-	175 / 60 / R15	76	2,440	3,780 x 1,665 x 1,525	5	4X2	-	-	5	4	CBU	Thailand	180	158	-	-	-	-	-	-	-	-	-	-	0.4%	0.3%	338
			March 1.2 High AT (MC '13)	1200	AT	G	41	1345	-	175 / 60 / R15	76	2,440	3,780 x 1,665 x 1,525	5	4X2	-	-	5	4	CBU	Thailand	35	40	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	75
			March 1.5 MT (MC '13)	1500	MT	G	41	1345	-	175 / 60 / R15	102	2,435	3,780 x 1,667 x 1,525	5	4X2	-	-	5	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			March 1.5 AT (MC '13)	1500	AT	G	41	1345	-	175 / 60 / R15	102	2,435	3,780 x 1,667 x 1,525	5	4X2	-	-	5	4	CBU	Thailand	1	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			New Grand Livina 1.5 SV M/T	1500	MT	G	52	1750	-	185 / 65 / R15	109	2,600	4,485 x 1,695 x 1,595	7	4X2	-	-	5	4	CKD	INA	35	118	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	153
			New Grand Livina 1.5 SV CVT	1500	CVT	G	52	1750	-	185 / 65 / R15	109	2,600	4,485 x 1,695 x 1,595	7	4X2	-	-	5	4	CKD	INA	50	98	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	148
			New Grand Livina 1.5 XV M/T	1500	MT	G	52	1750	-	185 / 65 / R15	109	2,600	4,485 x 1,700 x 1,595	7	4X2	-	-	5	4	CKD	INA	120	70	-	-	-	-	-	-	-	-	-	-	0.2%	0.2%	190
			New Grand Livina1.5 XV CVT	1500	CVT	G	52	1750	-	185 / 65 / R15	109	2,600	4,485 x 1,700 x 1,595	7	4X2	-	-	5	4	CKD	INA	50	98	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	148
			New Grand Livina 1.5 XV HWS CVT	1500	CVT	G	52	1750	-	185 / 65 / R15	109	2,600	4,485 x 1,700 x 1,650	7	4X2	-	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			New Grand Livina 1.5 CVT Autech	1500	CVT	G	52	1750	-	185 / 65 / R15	109	2,600	4,485 x 1,700 x 1,650	7	4X2	-	-	5	4	CKD	INA	7	60	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	67
			New Grand Livina 1.5 X-Gear M/T	1500	MT	G	52	1750	-	195 /55 / R16	109	2,600	4,540 x 1,735 x 1,650	7	4X2	-	-	5	4	CKD	INA	8	24	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	32
			New Grand Livina 1.5 X-Gear CVT	1500	CVT	G	52	1750	-	195 /55 / R16	109	2,600	4,540 x 1,735 x 1,650	7	4X2	-	-	5	4	CKD	INA	10	20	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	30
			New Grand Livina HWS M/T	1498	MT	G	52	1750	-	195 /55 / R16	109	2,600	4,540 x 1,735 x 1,650	7	4X2	-	-	5	4	CKD	INA	9	12	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	21
			New Grand Livina HWS CVT	1498	CVT	G	52	1750	-	195 /55 / R16	109	2,600	4,540 x 1,735 x 1,650	7	4X2	-	-	5	4	CKD	INA	31	12	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	43
			Juke Revolt Grey Interior (MY'14)	1499	CVT	G	52	-	-	216 / 55 / R17	115 / 6,000	2,531	4,135 x 1,765 x 1,566	-	4X2	-	-	5	4	CKD	INA	23	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	23
			Juke Revolt Red Interior (MY'14)	1500	CVT	G	52	-	-	217 / 55 / R17	116 / 6,000	2,532	4,135 x 1,765 x 1,567	-	4X2	-	-	5	4	CKD	INA	6	2	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	8
			Juke Revolt 2	1498	CVT	G	52	-	-	215 / 55 / R17	114 / 6,000	2,530	4,135 x 1,765 x 1,565	-	4X2	-	-	5	4	CKD	INA	9	4	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	13
		RENAULT	Duster 1.5 dCi	1461	MT	D	50	-	-	-	-	-	-	-	4X2	-	-	5	4	CBU	India	-	15	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	15
			Duster 1.5 dCi RxL	1461	MT	D	50	-	-	-	-	-	-	-	4X2	-	-	5	4	CBU	India	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Duster 1.5 dCi RxL (CKD)	1461	MT	D	50	1710	4.21	215/65 R 16	85	2,673	4315 x 1822 x 1695	5	4X2	FF	155	5	4	CKD	INA	37	66	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	103
			Kwid	999	MT	G	28	1109	4	155/80 R13	68	2,422	3679 x 1579 x 1478	5	4X2	FF	140	5	4	CBU	India	5	5	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	10
		SUZUKI	Ignis GL MT	1197	MT	G	43	1430	4388	165/60 R15	85	2,360	3715 X 1680 X 1618	5	4X2	FF	-	4	4	CBU	India	201	111	-	-	-	-	-	-	-	-	-	-	0.4%	0.3%	312
			Ignis GL AT	1197	MT	G	43	1430	4388	165/60 R15	85	2,360	3715 X 1680 X 1618	5	4X2	FF	-	4	4	CBU	India	233	65	-	-	-	-	-	-	-	-	-	-	0.4%	0.3%	298
			Ignis GX MT	1197	MT	G	43	1430	4388	185/60 R15	85	2,360	3715 X 1680 X 1618	5	4X2	FF	-	4	4	CBU	India	547	3	-	-	-	-	-	-	-	-	-	-	0.7%	0.5%	550
			Ignis GX AT	1197	AT	G	43	1430	4375	185/60 R15	85	2,360	3715 X 1680 X 1618	5	4X2	FF	-	4	4	CBU	India	941	412	-	-	-	-	-	-	-	-	-	-	1.7%	1.3%	1,353
			New Ertiga GA	1373	MT	G	45	1765	4687	185/65 R15	92	2,740	4265 X 1695 X 1685	7	4X2	FF	-	4	4	CKD	INA	241	170	-	-	-	-	-	-	-	-	-	-	0.5%	0.4%	411
			New Ertiga GL	1373	MT	G	45	1765	4687	185/65 R15	92	2,740	4265 X 1695 X 1685	7	4X2	FF	-	4	4	CKD	INA	1,626	1,814	-	-	-	-	-	-	-	-	-	-	4.3%	3.3%	3,440
			New Ertiga GX	1373	MT	G	45	1765	4687	185/65 R15	92	2,740	4265 X 1695 X 1685	7	4X2	FF	-	4	4	CKD	INA	570	1,121	-	-	-	-	-	-	-	-	-	-	2.1%	1.6%	1,691
			New Ertiga GL AT	1373	AT	G	45	1775	4545	185/65 R15	92	2,740	4265 X 1695 X 1685	7	4X2	FF	-	4	4	CKD	INA	236	322	-	-	-	-	-	-	-	-	-	-	0.7%	0.5%	558
			New Ertiga GX AT	1373	AT	G	45	1775	4545	185/65 R15	92	2,740	4265 X 1695 X 1685	7	4X2	FF	-	4	4	CKD	INA	232	427	-	-	-	-	-	-	-	-	-	-	0.8%	0.6%	659
			New Ertiga DREZA	1373	MT	G	45	1765	4687	185/65 R15	92	2,740	4325 X 1695 X 1685	7	4X2	FF	-	4	4	CKD	INA	116	120	-	-	-	-	-	-	-	-	-	-	0.3%	0.2%	236
			New Ertiga DREZA AT	1373	AT	G	45	1775	4545	185/65 R15	92	2,740	4325 X 1695 X 1685	7	4X2	FF	-	4	4	CKD	INA	52	78	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	130
			New Ertiga Diesel GX Hybrid	1248	MT	D	45	1855	4687	185/65 R15	92	2,740	4265 X 1695 X 1685	7	4X2	FF	-	4	4	CBU	India	150	171	-	-	-	-	-	-	-	-	-	-	0.4%	0.3%	321
			Neo Baleno	1490	MT	G	-	1650	-	195/55 R15	110	2,480	4350 X 1690 X 1545	5	4X2	FF	-	4	4	CBU	INA	227	13	-	-	-	-	-	-	-	-	-	-	0.3%	0.2%	240
			Neo Baleno AT	1490	AT	G	-	1650	-	195/55 R15	110	2,480	4350 X 1690 X 1545	5	4X2	FF	-	4	4	CBU	INA	477	298	-	-	-	-	-	-	-	-	-	-	1.0%	0.8%	775
			New SX4 S-Cros	1490	MT	G	48	1670	-	205/60 R16	109	2,600	4300 X 1765 X 1690	5	4X2	FF	-	4	4	CBU	India	58	26	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	84
			New SX4 S-Cros AT	1490	AT	G	48	1670	-	205/60 R16	109	2,600	4300 X 1765 X 1690	5	4X2	FF	-	4	4	CBU	India	26	111	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	137
			Carry 1.5 GX	1493	MT	G	42	2085	4875	175/70 R13	78.8	1,970	3875 X 1570 X 1915	3	4X2	FR	-	5	4	CKD	INA	11	13	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	24
			APV-GE	1495	MT	G	46	1950	4300	185/80 R14	105	2,625	4225 X 1655 X 1855	8	4X2	FR	-	5	4	CKD	INA	51	114	-	-	-	-	-	-	-	-	-	-	0.2%	0.2%	165
			APV-GL	1495	MT	G	46	1950	4300	185/80 R14	105	2,625	4225 X 1655 X 1855	8	4X2	FR	-	5	4	CKD	INA	55	68	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	123
			APV-GX	1495	MT	G	46	1950	4300	195/65 R15	105	2,625	4225 X 1655 X 1855	8	4X2	FR	-	5	4	CKD	INA	47	64	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	111
			APV-GX AT	1495	AT	G	46	1950	5375	195/65 R15	105	2,625	4225 X 1655 X 1855	8	4X2	FR	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			APV SGX	1495	MT	G	46	1950	4300	195/65 R15	105	2,625	4225 X 1655 X 1855	7	4X2	FR	-	5	4	CKD	INA	48	71	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	119
		TOYOTA	ALL New Avanza 1.3 E BMC 2015	1298	MT	G	45	1085	5125	185/70R14	92 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	196	262	-	-	-	-	-	-	-	-	-	-	0.6%	0.4%	458
			ALL New Avanza 1.3 E A/T BMC 2015	1298	AT	G	45	1085	5571	185/70R14	92 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	261	315	-	-	-	-	-	-	-	-	-	-	0.7%	0.6%	576
			ALL New Avanza 1.3 G BMC 2015	1298	MT	G	45	1085	5125	185/70R14	92 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	3,140	2,779	-	-	-	-	-	-	-	-	-	-	7.3%	5.8%	5,919
			ALL New Avanza 1.3 G A/T BMC 2015	1298	AT	G	45	1085	5571	185/70R14	92 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	559	522	-	-	-	-	-	-	-	-	-	-	1.3%	1.1%	1,081
			ALL New Avanza 1.5 G	1495	MT	G	45	1085	4875	185/65R15	104 / 6000	2,655	4140X1660X1695	7	4X2	FR	5	5	4	CKD	INA	160	159	-	-	-	-	-	-	-	-	-	-	0.4%	0.3%	319
			ALL New Avanza VELOZ 1.3 BMC 2015	1329	MT	G	45	1085	4875	185/65R15	104 / 6000	2,655	4140X1660X1695	7	4X2	FR	5	5	4	CKD	INA	415	397	-	-	-	-	-	-	-	-	-	-	1.0%	0.8%	812
			ALL New Avanza VELOZ 1.3 A/T BMC 2015	1329	AT	G	45	1085	5125	185/65R15	104 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	256	207	-	-	-	-	-	-	-	-	-	-	0.6%	0.5%	463
			ALL New Avanza VELOZ 1.5 BMC 2015	1495	MT	G	45	1085	4875	185/65R15	104 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	1,154	826	-	-	-	-	-	-	-	-	-	-	2.5%	1.9%	1,980
			ALL New Avanza VELOZ 1.5 A/T BMC 2015	1495	AT	G	45	1085	5125	185/65R15	104 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	550	392	-	-	-	-	-	-	-	-	-	-	1.2%	0.9%	942
			Avanza 1.3 A/T Transmover	1298	AT	G	45	1085	5571	185/70R14	92 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	852	914	-	-	-	-	-	-	-	-	-	-	2.2%	1.7%	1,766
			Sienta E 1.5	1497	MT	G	-	-	-	185/60 R15	107 / 6000	-	4235X1695X1690	7	4X2	FR	5	5	4	CKD	INA	3	3	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	6
			Sienta E 1.5 CVT	1497	AT	G	-	-	-	185/60 R15	107 / 6000	-	4235X1695X1690	7	4X2	FR	5	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Sienta G 1.5	1497	MT	G	-	-	-	185/60 R15	107 / 6000	-	4235X1695X1690	7	4X2	FR	5	5	4	CKD	INA	11	31	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	42
			Sienta G 1.5 CVT	1497	AT	G	-	-	-	185/60 R15	107 / 6000	-	4235X1695X1690	7	4X2	FR	5	5	4	CKD	INA	10	69	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	79
			Sienta V 1.5	1497	MT	G	-	-	-	195/50 R16	107 / 6000	-	4235X1695X1690	7	4X2	FR	5	5	4	CKD	INA	11	31	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	42
			Sienta V 1.5 CVT	1497	AT	G	-	-	-	195/50 R16	107 / 6000	-	4235X1695X1690	7	4X2	FR	5	5	4	CKD	INA	29	187	-	-	-	-	-	-	-	-	-	-	0.3%	0.2%	216
			Sienta Q 1.5 CVT	1497	AT	G	-	-	-	195/50 R16	107 / 6000	-	4235X1695X1690	7	4X2	FR	5	5	4	CKD	INA	12	40	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	52
			ALL New Rush 1.5 G	1496	MT	G	45	1200	5857	215/65R16	104 / 6000	2,685	4435X1695X1705	7	4X2	FR	4	5	4	CKD	INA	418	610	-	-	-	-	-	-	-	-	-	-	1.3%	1.0%	1,028
			ALL New Rush 1.5 G A/T	1496	AT	G	45	1200	5857	215/65R16	104 / 6000	2,685	4435X1695X1705	7	4X2	FR	4	5	4	CKD	INA	336	454	-	-	-	-	-	-	-	-	-	-	1.0%	0.8%	790
			ALL New Rush 1.5 TRD Sportivo	1496	MT	G	45	1200	5857	215/60R17	104 / 6000	2,685	4435X1695X1705	7	4X2	FR	4	5	4	CKD	INA	1,473	1,421	-	-	-	-	-	-	-	-	-	-	3.6%	2.8%	2,894
			ALL New Rush 1.5 TRD Sportivo A/T	1496	AT	G	45	1200	5857	215/60R17	104 / 6000	2,685	4435X1695X1705	7	4X2	FR	4	5	4	CKD	INA	1,189	1,090	-	-	-	-	-	-	-	-	-	-	2.8%	2.2%	2,279
			All NewYaris 1.5 AT TRD Sportivo	1500	AT	G	42	1075	4237	195/50R16	109 / 6000	2,550	4115X1700X1475	5	4X2	FF	-	5	4	CKD	INA	2	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			All NewYaris 1.5 Haykers	1500	MT	G	42	1075	4237	195/50R16	109 / 6000	2,550	4115X1700X1475	5	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			All NewYaris 1.5 Haykers AT	1500	AT	G	42	1075	4237	195/50R16	109 / 6000	2,550	4115X1700X1475	5	4X2	FF	-	5	4	CKD	INA	19	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	19
			New Yaris 1.5 E	1496	MT	G	42	1055	4058	185/60R16	107 / 6000	2,550	4145X1730X1500	5	4X2	FF	5	5	4	CKD	INA	-	23	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	23
			New Yaris 1.5 E CVT	1496	AT	G	42	1075	4237	185/60R16	107 / 6000	2,550	4145X1730X1500	5	4X2	FF	4	5	4	CKD	INA	-	23	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	23
			New Yaris 1.5 G	1496	MT	G	42	1055	4058	195/50R16	107 / 6000	2,550	4145X1730X1500	5	4X2	FF	5	5	4	CKD	INA	-	132	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	132
			New Yaris 1.5 G CVT	1496	AT	G	42	1075	4237	195/50R16	107 / 6000	2,550	4145X1730X1500	5	4X2	FF	4	5	4	CKD	INA	-	179	-	-	-	-	-	-	-	-	-	-	0.2%	0.2%	179
			New Yaris 1.5 TRD Sportivo	1496	MT	G	42	1055	4058	195/50R16	107 / 6000	2,550	4145X1730X1500	5	4X2	FF	5	5	4	CKD	INA	-	246	-	-	-	-	-	-	-	-	-	-	0.3%	0.2%	246
			New Yaris 1.5 TRD Sportivo CVT	1496	AT	G	42	1075	4237	195/50R16	107 / 6000	2,550	4145X1730X1500	5	4X2	FF	4	5	4	CKD	INA	-	506	-	-	-	-	-	-	-	-	-	-	0.6%	0.5%	506
		VOLKSWAGEN	Golf 1.4 TSI AT	1400	AT	G	-	-	3500	-	-	2,637	4349 x 2027 x 1452	-	4X2	FF	-	5	4	CBU	Germany	2	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			Polo 1.2 GT TSI AT	1200	AT	G	-	-	-	-	-	-	-	5	4X2	FF	-	5	4	CBU	India	20	25	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	45
		WULING	Confero S 1.5	1500	MT	G	42	0	4.889	195/60 R15	107	2,720	4493X1691X1715	0	4X2	FR	-	5	4	CKD	INA	107	297	-	-	-	-	-	-	-	-	-	-	0.5%	0.4%	404
			Confero S 1.5C	1500	MT	G	42	0	4.889	195/60 R15	107	2,720	4530X1691X1730	0	4X2	FR	-	5	4	CKD	INA	228	157	-	-	-	-	-	-	-	-	-	-	0.5%	0.4%	385
			Confero S 1.5L	1500	MT	G	42	0	4.889	195/60 R15	107	2,720	4530X1691X1730	0	4X2	FR	-	5	4	CKD	INA	220	111	-	-	-	-	-	-	-	-	-	-	0.4%	0.3%	331
										TOTAL												**41,733**	**39,004**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**100%**	**79%**	**80,737**
										CUMULATIVE												41,733	80,737													

(4X2) CC 1.501 - 2.500 [G/D] ...

GAIKNDO WHOLESALES DATA
`JANFEB 2018

4X2 TYPE SALES `JANFEB 2018

CATEGORY		BRAND	MODEL/TYPE	CC	TRANS	FUEL	TANK CAPT	GVW (Kg)	GEAR RATIO	WHEEL & TYRE SIZE	PS / HP	WHEEL BASE	DIMENSION P x L xT	SEATER	DRIVE SYS.		SPEED	DOOR	WHEEL	CBU / CKD	ORIGIN COUNTRY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Segment Share	4X2 Share	TOTAL 2018
4X2	CC 1.501 - 2.500	BMW	VL36 X1 sDrive18i	2000	AT	G	-	-	-	-	-	-	-	-	4X2	-	-	4	4	CKD	Indonesia	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
TYPE	[G/D]		HS16 X1 SDRIVE18I	2000	AT	G	-	-	-	-	-	-	-	-	4X2	-	-	4	4	CKD	Indonesia	1	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			JG16 X1 SDRIVE18I	2000	AT	G	51	2005	0	-	136	2,670	4439 x 1821 x 1598	5	4X2		-	5	0	CKD	Indonesia	19	41	-	-	-	-	-	-	-	-	-	-	0.3%	0.1%	60
		CHEVROLET	Orlando 1.8L	1800	AT	G	-	-	-	-	-	-	-	-	4X2	FR	-	-	-	CBU	South Korea	6	13	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	19
			Captiva 2.4 AT	2400	AT	G	-	-	-	-	-	-	-	-	4X2	FF	-	-	-	CBU	Thailand	-	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			Captiva 2.0 Dsl	2000	AT	D	-	-	-	-	-	-	-	-	4X2	FF	-	-	-	CBU	Thailand	15	15	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	30
			Trailblazer	2500	AT	D	-	-	-	-	-	-	-	-	4X2	FR	-	-	-	CBU	Thailand	25	48	-	-	-	-	-	-	-	-	-	-	0.3%	0.1%	73
		HONDA	All New CR-V	2000	AT	G	58	-	-	-	-	-	-	-	4X2	FF	-	5	4	CKD	INA	6	10	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	16
			CIVIC 5D S	2400	AT	G	65	1322	-	17 x 7J	-	2,700	4501 x 2075 x 1421	-	4X2	FF	-	5	4	CBU	Thailand	-	24	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	24
			CIVIC 5D E	2400	AT	G	65	1322	-	17 x 7J	-	2,700	4501 x 2075 x 1421	-	4X2	FF	-	5	4	CBU	Thailand	261	295	-	-	-	-	-	-	-	-	-	-	2.5%	0.5%	556
			HR-V Prestige	1800	CVT	G	40	-	-	-	-	-	-	5	4X2	FF	-	5	4	CKD	INA	414	466	-	-	-	-	-	-	-	-	-	-	4.0%	0.9%	880
			Odyssey Prestige	2354	AT	G	55	1855	-	17 x 7J	175	2,900	4830 x 1820 x 1695	7	4X2	FF	-	5	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		HYUNDAI	All New Tucson	2000	AT	G	62	2020	-	-	-	-	4475 x 1850 x 1650	5	4X2	-	-	4	4	CBU	Korea	8	10	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	18
			All New Tucson CRDi	2000	AT	D	62	2020	-	-	-	-	4475 x 1850 x 1650	5	4X2	-	-	4	4	CBU	Korea	3	5	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	8
			New Santa FE CRDI	2200	AT	D	64	-	-	-	-	-	-	-	4X2	FF	-	4	4	CBU	Korea	8	11	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	19
			New Santa FE	2400	AT	G	64	-	-	-	-	-	-	-	4X2	FF	-	4	4	CBU	Korea	3	3	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	6
			H-1 2.4	2400	AT	G	75	3030	-	-	-	-	-	-	4X2	FR	-	4	4	CKD	INA	14	7	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	21
			H-1 2.5 CRDI	2500	AT	D	75	3185	-	-	-	-	-	-	4X2	FR	-	4	4	CKD	INA	19	23	-	-	-	-	-	-	-	-	-	-	0.2%	0.0%	42
			Starex 2.5 CRDi	2500	MT	D	75	3030	-	-	-	-	-	-	4X2	FR	-	4	4	CKD	INA	-	28	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	28
			Starex 2.4	2400	MT	G	75	3030	-	-	-	-	5125 x 1920 x 1925	10	4X2	-	-	4	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		ISUZU	Panther LM	2499	MT	D	55	2150	4100	205/65/R15	80	2,685	4,475 x 1,680 x 1,790	7	4X2	FR	-	5	4	CKD	INA	32	30	-	-	-	-	-	-	-	-	-	-	0.3%	0.1%	62
			Panther LV	2499	MT	D	55	2150	4100	205/65/R15	80	2,685	4,475 x 1,680 x 1,790	7	4X2	FR	-	5	4	CKD	INA	17	29	-	-	-	-	-	-	-	-	-	-	0.2%	0.0%	46
			Panther LS	2499	MT	D	55	2150	4100	205/65/R15	80	2,685	4,475 x 1,680 x 1,790	7	4X2	FR	-	5	4	CKD	INA	25	25	-	-	-	-	-	-	-	-	-	-	0.2%	0.0%	50
			Panther G Touring MT	2499	MT	D	55	2150	4100	205/65/R15	80	2,685	4,535 x 1,770 x 1,920	7	4X2	FR	-	5	4	CKD	INA	16	16	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	32
			MU-X	2499	AT	D	47	2540	-	-	-	-	-	7	4X2	-	-	5	4	CBU	Thailand	83	45	-	-	-	-	-	-	-	-	-	-	0.6%	0.1%	128
		KIA	Sportage GT Ultimate	1999	AT	G	55	-	-	245/45 R19	158/6200	2,670	4480 x 1855 x 1655	5	4X2	FF	6	5	4	CBU	Korea	-	9	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	9
		LEXUS	Lexus NX 300	1998	AT	G	60	-	-	255 / 60 R18	235 / 4000	2,660	4630X1845X1630	4	4X2	FR	-	4	4	CBU	Japan	3	19	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	22
			Lexus RX 200t	2000	AT	G	-	-	-	-	-	-	-	4	4X2	FR	-	4	4	CBU	Japan	20	-	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	20
		MAZDA	CX-3 2.0 Touring	1998	AT	G	48	-	-	215/50R18	148	2,570	4275 x 1765 x 1535	5	4X2	FF	-	5	4	CBU	Japan	32	42	-	-	-	-	-	-	-	-	-	-	0.3%	0.1%	74
			CX-3 2.0 Grand Touring	1998	AT	G	48	-	-	215/50R18	148	2,570	4275 x 1765 x 1535	5	4X2	FF	-	5	4	CBU	Japan	20	14	-	-	-	-	-	-	-	-	-	-	0.2%	0.0%	34
			All New CX-5 Grand Touring	2488	AT	G	56	-	-	225/55R19	190	2,700	4550 x 1840 x 1680	5	4X2	FF	-	5	4	CBU	Japan	14	13	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	27
			All New CX-5 Elite	2488	AT	G	56	-	-	225/55R19	190	2,700	4550 x 1840 x 1680	5	4X2	FF	-	5	4	CBU	Japan	148	114	-	-	-	-	-	-	-	-	-	-	1.2%	0.3%	262
			Mazda 3	1998	AT	G	51	-	-	215/45R18	165	2,700	4,470 x 1,795 1,450	5	4X2	FF	-	5	4	CBU	Japan	13	10	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	23
			Mazda 6 Estate	2488	AT	G	62	-	-	225/45R19	192	2,750	4,800 x 1,840 x 1,480	5	4X2	FF	-	5	4	CBU	Japan	6	9	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	15
			Biante SKYACTIV	1997	AT	G	60	-	4325	205/60R16	151	2,850	4715 x 1770 x 1835	8	4X2	FF	-	5	4	CBU	Japan	47	45	-	-	-	-	-	-	-	-	-	-	0.4%	0.1%	92
			Mazda 5	1997	AT	G	60	-	-	205/55R16	151	2,750	4,585 x 1,750 x 1,615	7	4X2	FF	-	5	4	CBU	Japan	-	18	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	18
		MINI	MINI Cooper	1600	AT	G	40	-	-	-	-	-	-	-	4X2	-	-	2	4	CBU	UK	3	4	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	7
			MINI Cooper S	1600	AT	G	40	-	-	-	-	-	-	-	4X2	-	-	2	4	CBU	UK	4	7	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	11
			MINI JCW	1600	AT	G	40	-	-	-	-	-	-	-	4X2	-	-	2	4	CBU	UK	-	2	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			MINI Cooper 5-Door	1600	AT	G	40	-	-	-	-	-	-	-	4X2	-	-	2	4	CBU	UK	5	7	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	12
			MINI Cooper S 5-Door	1600	AT	G	40	-	-	-	-	-	-	-	4X2	-	-	2	4	CBU	UK	-	2	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			MINI Cooper Clubman	1600	AT	G	40	-	-	-	-	-	-	-	4X2	-	-	4	4	CBU	UK	-	2	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			MINI Cooper S Clubman	1600	AT	G	40	-	-	-	-	-	-	-	4X2	-	-	4	4	CBU	UK	3	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	4
			MINI Cooper Cabrio / convertible	1600	AT	G	40	-	-	-	-	-	-	-	4X2	-	-	5	4	CBU	UK	1	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			MINI Cooper S Cabrio / convertible	1600	AT	G	40	-	-	-	-	-	-	-	4X2	-	-	2	4	CBU	UK	-	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			MINI Cooper Countryman	1600	AT	G	40	-	-	-	-	-	-	-	4X2	-	-	2	4	CBU	UK	1	4	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	5
		MITSUBISHI MOTORS	Outlander SPORT 2.0L PX AT Action	1998	AT	G	63	1970	6120	17 X 6,5J	150	2,670	4295 X 1770 X 1625	5	4X2	FF	-	4	4	CKD	INA	17	35	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	52
			Outlander SPORT 2.0L PX AT	1998	AT	G	63	1970	6120	17 X 6,5J	150	2,670	4295 X 1770 X 1625	5	4X2	FF	-	4	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Outlander SPORT 2.0L GLS AT	1998	AT	G	63	1970	6120	18 X 6,5J	150	2,670	4296 X 1770 X 1625	5	4X2	FF	-	4	4	CKD	INA	32	3	-	-	-	-	-	-	-	-	-	-	0.2%	0.0%	35
			Outlander SPORT 2.0L GLX MT	1998	MT	G	63	1970	6120	19 X 6,5J	150	2,670	4297 X 1770 X 1625	5	4X2	FF	-	4	4	CKD	INA	79	1	-	-	-	-	-	-	-	-	-	-	0.4%	0.1%	80
			Pajero Sport 2.4L DAKAR (4x2) 8AT	2442	AT	D	68	2600	3692	265/60 R18	181	2,800	4785 X 1815 X 1805	7	4X2	FR	-	4	4	CKD	INA	1,097	1,895	-	-	-	-	-	-	-	-	-	-	13.7%	2.9%	2,992
			Pajero Sport 2.4L DAKAR (4x2) 8AT	2442	AT	D	70	2650	3692	265/60 R18	181	2,800	4785 X 1815 X 1805	7	4X2	FR	-	4	4	CBU	Thailand	3	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	3
			Pajero Sport 2.4L DAKAR Utimate (4x2) 8AT	2442	AT	D	68	2600	3692	265/60 R18	181	2,800	4785 X 1815 X 1805	7	4X2	FR	-	4	4	CKD	INA	248	269	-	-	-	-	-	-	-	-	-	-	2.4%	0.5%	517
			Pajero Sport 2.5 E HP (4X2) 5 AT - DAKAR	2477	AT	D	70	2650	3917	265/65 R17	178	2,800	4695 X 1815 X 1840	7	4X2	FR	-	4	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Pajero Sport 2.5 L EXCEED (4X2) 5AT	2477	AT	D	70	2650	3917	265/60 R16	136	2,800	4785 X 1815 X 1800	7	4X2	FR	-	4	4	CKD	INA	109	63	-	-	-	-	-	-	-	-	-	-	0.8%	0.2%	172
			Delica Royal	1998	AT	G	66	1685	6466	215/70/R16	150	2,850	4730 X 1795 X 1850	7	4X2	FR	180	4	4	CBU	Japan	25	1	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	26
		NISSAN	New Serena -Low X	2000	AT	G	60	1965	-	195/60/R17	148 / 5,600	2,861	4,770 x 1,735 x 1,866	7	4X2	-	-	5	4	CKD	INA	5	2	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	7
			New Serena-HWS	2000	AT	G	60	1965	-	195/60/R18	149 / 5,600	2,862	4,770 x 1,735 x 1,867	7	4X2	-	-	5	4	CKD	INA	85	77	-	-	-	-	-	-	-	-	-	-	0.7%	0.2%	162
			New Serena-Autech	2000	AT	G	60	1965	-	195/60/R19	150 / 5,600	2,863	4,770 x 1,735 x 1,868	7	4X2	-	-	5	4	CKD	INA	39	25	-	-	-	-	-	-	-	-	-	-	0.3%	0.1%	64
			New X-Trail Hybrid 2.0 CVT	1997	CVT	G	65	1820	-	-	-	-	-	5	4X2	-	-	5	4	CBU	Japan	-	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			New X-Trail 2.0 MT 2014	2000	MT	G	65	1820	-	-	-	-	-	5	4X2	-	-	5	4	CKD	INA	-	13	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	13
			New X-Trail 2.0 CVT 2014	2000	CVT	G	65	1820	-	-	-	-	-	5	4X2	-	-	5	4	CKD	INA	30	8	-	-	-	-	-	-	-	-	-	-	0.2%	0.0%	38
			New X-Trail 2.5 CVT 2014	2500	CVT	G	65	1820	-	-	-	-	-	5	4X2	-	-	5	4	CKD	INA	190	72	-	-	-	-	-	-	-	-	-	-	1.2%	0.3%	262
			Elgrand 2.5L (3 Row leather)	2500	AT	G	73	2410	-	225 / 55 / R18	170	3,000	4,915 x 1,850 x 1,815	-	4X2	-	-	5	4	CBU	Japan	3	5	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	8
		PEUGEOT	5008	1598	AT	G	60	1459	6	215/50 R17	156	2,727	4.529 x 2.118 x 1.644	7	4X2	FF	-	5	4	CBU	Perancis	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			3008 Facelift	1598	AT	G	60	1459	6	225/50 R17	163	2,613	4.365 x 1.836 x 1.639	5	4X2	FF	-	5	4	CBU	Perancis	1	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
		RENAULT	New Koleos 2.5 CVT (4x2) A/T	2500	AT	G	60	2100	-	225/60 R 18	170	2,705	4672 x 1843 x 1673	5	4X2	FF	200	5	4	CBU	Korea	7	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	7
		TOYOTA	All New Kijang Inova G 2015	1998	MT	G	55	1640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	813	1,081	-	-	-	-	-	-	-	-	-	-	8.6%	1.8%	1,894
			All New Kijang Inova G AT 2015	1998	AT	G	55	1640	-	205/65 R15	136 / 5600	2,750	4585X1775X1750	7	4X2	FR	4	5	4	CKD	INA	798	696	-	-	-	-	-	-	-	-	-	-	6.8%	1.5%	1,494
			All New Kijang Inova G AT D 2015	2494	AT	D	55	1640	-	205/65 R15	136 / 5600	2,750	4585X1775X1750	7	4X2	FR	4	5	4	CKD	INA	709	906	-	-	-	-	-	-	-	-	-	-	7.4%	1.6%	1,615
			All New Kijang Inova G D 2015	2494	MT	D	55	1640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	665	763	-	-	-	-	-	-	-	-	-	-	6.5%	1.4%	1,428
			All New Kijang Inova Q 2015	1998	MT	G	55	1640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	10	9	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	19
			All New Kijang Inova Q AT 2015	1998	AT	G	55	1640	-	205/65 R15	136 / 5600	2,750	4585X1775X1750	7	4X2	FR	4	5	4	CKD	INA	1	27	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	28
			All New Kijang Inova V 2015	1998	MT	G	55	1640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	78	95	-	-	-	-	-	-	-	-	-	-	0.8%	0.2%	173
			All New Kijang Inova V AT 2015	1998	AT	G	55	1640	-	205/65 R15	136 / 5600	2,750	4585X1775X1750	7	4X2	FR	4	5	4	CKD	INA	354	233	-	-	-	-	-	-	-	-	-	-	2.7%	0.6%	587
			All New Kijang Inova V AT D 2015	2494	AT	D	55	1640	-	205/65 R15	136 / 5600	2,750	4585X1775X1750	7	4X2	FR	4	5	4	CKD	INA	447	501	-	-	-	-	-	-	-	-	-	-	4.3%	0.9%	948
			All New Kijang Inova V D 2015	2494	MT	D	55	1640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	65	99	-	-	-	-	-	-	-	-	-	-	0.7%	0.2%	164
			All New Kijang Inova Venturer	1998	MT	G	55	1640	-	205/65 R15	136 / 5600	2,750	4585X1775X1750	7	4X2	FR	4	5	4	CKD	INA	49	54	-	-	-	-	-	-	-	-	-	-	0.5%	0.1%	103
			All New Kijang Inova Venturer AT	1998	AT	G	55	1640	-	205/65 R15	136 / 5600	2,750	4585X1775X1750	7	4X2	FR	4	5	4	CKD	INA	192	174	-	-	-	-	-	-	-	-	-	-	1.7%	0.4%	366
			All New Kijang Inova Venturer AT D	2494	AT	D	55	1640	-	205/65 R15	136 / 5600	2,750	4585X1775X1750	7	4X2	FR	4	5	4	CKD	INA	352	286	-	-	-	-	-	-	-	-	-	-	2.9%	0.6%	638
			All New Kijang Inova Venturer D	2494	MT	D	55	1640	-	205/65 R15	136 / 5600	2,750	4585X1775X1750	7	4X2	FR	4	5	4	CKD	INA	20	30	-	-	-	-	-	-	-	-	-	-	0.2%	0.0%	50
			Voxy 2.0 AT	2000	AT	G	60	2205	-	205/60 R16	158 / 6200	-	4600X1695X1850	7	4X2	FF	-	5	4	CKD	Japan	2	658	-	-	-	-	-	-	-	-	-	-	3.0%	0.6%	660
			Alphard 2,5 G	2500	AT	G	65	1905	5791	215/60/R17	170 / 6000	2,950	4870X1830X1905	7	4X2	FF	-	5	4	CBU	Japan	3	191	-	-	-	-	-	-	-	-	-	-	0.9%	0.2%	194
			Alphard 2.5 X	2500	AT	G	65	1905	5791	215/60/R17	170 / 6000	2,950	4870X1830X1905	7	4X2	FF	-	5	4	CBU	Japan	-	20	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	20
			Alphard 2,5 Hybrid	2494	AT	G	65	1905	5791	215/60/R17	170 / 6000	2,950	4870X1830X1905	7	4X2	FF	5	5	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Vellfire 2.5	2500	AT	G	65	1905	5791	215/60/R17	170 / 6000	2,950	4870X1830X1905	7	4X2	FF	-	5	4	CBU	Japan	1	74	-	-	-	-	-	-	-	-	-	-	0.3%	0.1%	75
			Fortuner VRZ 2.4 TRD AT D	2393	AT	D	80	-	4555	265 / 60 R18	163 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	1,103	925	-	-	-	-	-	-	-	-	-	-	9.3%	2.0%	2,028
			Fortuner G 2.4 DSL FMC 2015 AT	2494	AT	D	80	-	4100	265 / 65 R17	149.3 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	18	41	-	-	-	-	-	-	-	-	-	-	0.3%	0.1%	59
			Fortuner VRZ 2.4 DSL FMC 2015 AT	2494	AT	D	80	-	4100	265 / 60 R18	149.3 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	356	422	-	-	-	-	-	-	-	-	-	-	3.6%	0.8%	778
			Fortuner G 2.4 DSL FMC 2015 AT	2494	MT	D	80	-	4100	265 / 65 R17	149.3 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	44	85	-	-	-	-	-	-	-	-	-	-	0.6%	0.1%	129
			HI-ACE Commuter HI Grade	2500	MT	G	70	2145	-	195/R15	102 / 3600	3,110	5380X1880X2285	16	4X2	FR	-	2	5	CBU	Japan	1	372	-	-	-	-	-	-	-	-	-	-	1.7%	0.4%	373
			HI-ACE STD	2500	MT	G	70	2145	-	195/R15	102 / 3600	3,110	5380X1880X2285	16	4X2	FR	-	2	5	CBU	Japan	-	40	-	-	-	-	-	-	-	-	-	-	0.2%	0.0%	40
			HI-ACE Luxury	2500	MT	G	70	2145	-	195/R15	102 / 3600	3,110	5380X1880X2285	16	4X2	FR	-	2	5	CBU	Thailand	4	9	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	13
		WULING	Cortez 1.8C MT	1800	MT	G	52	0	4058	205/55 R16	129	2,750	4780X1816X1755	0	4X2	FF	-	5	4	CKD	INA	34	12	-	-	-	-	-	-	-	-	-	-	0.2%	0.0%	46
			Cortez 1.8C AT	1800	AT	G	52	0	4058	205/55 R16	129	2,750	4780X1816X1755	0	4X2	FF	-	5	4	CKD	INA	108	107	-	-	-	-	-	-	-	-	-	-	1.0%	0.2%	215
			Cortez 1.8L MT	1800	MT	G	52	0	4058	205/55 R16	129	2,750	4780X1816X1755	0	4X2	FF	-	5	4	CKD	INA	58	49	-	-	-	-	-	-	-	-	-	-	0.5%	0.1%	107
			Cortez 1.8L AT	1800	MT	G	52	0	4058	205/55 R16	129	2,750	4780X1816X1755	0	4X2	FF	-	5	4	CKD	INA	172	276	-	-	-	-	-	-	-	-	-	-	2.0%	0.4%	448
										TOTAL												**9,722**	**12,174**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**100%**	**21%**	**21,896**
										CUMULATIVE												9,722	21,896													
	CC 2.501 - 3.000 [G]	TOYOTA	Fortuner SRZ 2.7 TRD AT	2694	AT	G	80	-	4555	265 / 60 R18	163 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	72	54	-	-	-	-	-	-	-	-	-	-	75.4%	0.1%	126
			Fortuner 2.7 FMC 2015 AT	2694	AT	G	80	-	4100	265 / 60 R18	163 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	29	12	-	-	-	-	-	-	-	-	-	-	24.6%	0.0%	41
										TOTAL												**101**	**66**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**100%**	**0%**	**167**
										CUMULATIVE												101	167													
	CC > 3.001 [G] / 2.501 [D]	KIA	Grand Sedona Ultimate	3342	AT	G	80	3050	3195	235/60 R18	270/6400	3,060	5115 x 1985 x 1740	11	4X2	FF	6	5	4	CBU	Korea	8	6	-	-	-	-	-	-	-	-	-	-	100.0%	0.0%	14
		LEXUS	Lexus RX 450 Hybrid	3456	AT	G	65	2700	-	R19	248 / 6000	-	4770X1885X1685	4	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
										TOTAL												**8**	**6**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**100%**	**0%**	**14**
										CUMULATIVE												8	14												**100%**	
			4X2 TYPE SALES TOTAL																			**51,564**	**51,250**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**			**102,814**
			4X2 TYPE SALES CUMULATIVE																			51,564	102,814													**54.0%**

3. 4X4 TYPE SALES `JANFEB 2018

CATEGORY		BRAND	MODEL/TYPE	CC	TRANS	FUEL	TANK CAPT	GVW (Kg)	GEAR RATIO	WHEEL & TYRE SIZE	PS / HP	WHEEL BASE	DIMENSION P x L xT	SEATER	DRIVE SYS.		SPEED	DOOR	WHEELS	CBU / CKD	ORIGIN COUNTRY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Segment Share	4X4 Share	TOTAL 2018
4X4	CC < 1.500	AUDI	Q3 1.4 TFSI A/T	1400	AT	G	64	-	-	-	-	-	-	5	4X4	4WD	250	4	4	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
TYPE	[G/D]	RENAULT	Duster 1.5 dCi RxL 4x4	1461	MT	D	50	1874	4.21	215/65 R 16	110	2,673	4315 x 1822 x 1695	5	4X4	4WD	170	5	4	CKD	INA	1	-	-	-	-	-	-	-	-	-	-	-	50.0%	0.2%	1
			Duster 1.5 dCi RxZ 4x4	1461	MT	D	50	1874	4.21	215/65 R 16	110	2,673	4315 x 1822 x 1695	5	4X4	4WD	170	5	4	CKD	INA	1	-	-	-	-	-	-	-	-	-	-	-	50.0%	0.2%	1
		SUZUKI	Jimny AT	1328	AT	G	51	1650	-	195/55 R15	110	2,250	3695 X 1600 X 1705	5	4X4	4WD	-	3	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		TOTAL																				**2**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**100%**	**0%**	**2**
		CUMULATIVE																				2	2													
	CC 1.501 - 3.000 [G] / 2.500 [D]	AUDI	Q7 3.0 TFSI AT	2995	AT	G	100	2245	4845	265/50/R19	272	3,002	5089 x 2002 x 1695	7	4X4	4WD	222	4	4	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Q3 2.0 TFSI	1984	AT	G	64	1640	3765	235/50/R18	211	2,603	4385 x 1831 x 1608	5	4X4	4WD	230	4	4	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Q5 2.0 TFSI AT	1984	AT	G	75	1845	3692	255/55/R19	225	2,807	4629 x 1880 x 1653	5	4X4	4WD	222	4	4	CBU	Germany	4	-	-	-	-	-	-	-	-	-	-	-	1.1%	0.6%	4
		BMW	WX36 X3 XDRIVE20I RL	2000	AT	G	-	-	-	-	-	-	-	-	4X4	4WD	-	4	4	CKD	Indonesia	2	-	-	-	-	-	-	-	-	-	-	-	0.6%	0.3%	2
			WZ56 X3 XDRIVE20D	2000	AT	D	-	-	-	-	-	-	-	-	4X4	4WD	-	4	4	CKD	Indonesia	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			XW32 X4 XDRIVE28I	3000	AT	G	-	-	-	-	-	-	-	-	4X4	4WD	-	4	4	CBU	Germany	2	-	-	-	-	-	-	-	-	-	-	-	0.6%	0.3%	2
			LS06 X5 XDRIVE25D	3000	AT	G	-	-	-	-	-	-	-	-	4X4	4WD	-	4	4	CBU	Germany	5	5	-	-	-	-	-	-	-	-	-	-	2.8%	1.6%	10
			KR06 X5 XDRIVE35I	3000	AT	G	-	-	-	-	-	-	-	-	4X4	4WD	-	4	4	CBU	Germany	37	27	-	-	-	-	-	-	-	-	-	-	18.0%	10.4%	64
			KU22 X6 XDRIVE35I	2979	AT	G	-	-	-	-	-	-	-	-	4X4	4WD	-	4	4	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		ISUZU	MU-X	2499	MT	D	47	2540	-	-	-	-	-	7	4X4	-	-	5	4	CBU	Thailand	2	15	-	-	-	-	-	-	-	-	-	-	4.8%	2.8%	17
		MITSUBISHI MOTORS	Pajero Sport 2.4L DAKAR (4x4) 8AT	2442	AT	D	68	2710	3692	265/60 R18	181	2,800	4785 X 1815 X 1805	7	4X4	4WD	-	4	4	CKD	INA	67	19	-	-	-	-	-	-	-	-	-	-	24.2%	14.0%	86
			Pajero Sport 2.4L DAKAR (4x4) 8AT	2442	AT	D	70	2710	3692	265/60 R18	181	2,800	4785 X 1815 X 1805	7	4X4	4WD	-	4	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Pajero Sport 2.5L GLX (4x4) 5MT	2477	MT	D	70	2710	4090	265/60 R16	136	2,800	4785 X 1815 X 1800	7	4X4	4WD	-	4	4	CKD	INA	107	64	-	-	-	-	-	-	-	-	-	-	48.0%	27.8%	171
			Pajero Sport 2.5L GLX (4x4) 5MT	2477	AT	D	70	2710	4090	265/60 R16	136	2,800	4785 X 1815 X 1800	7	4X4	4WD	-	4	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		VOLKWAGEN	Tiguan 2.0	2000	AT	G	-	1611	3949	-	-	2,604	4426 x 1809 x 1703	-	4X4	4WD	-	5	4	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
										TOTAL												**226**	**130**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**100%**	**58%**	**356**
										CUMULATIVE												226	356													
	CC > 3.001 [G] / 2.501 [D]	LEXUS	Lexus RX 300	3456	AT	G	72	2545	-	R19	274 / 6200	-	4770X1885X1690	4	4X4	AWD	-	4	4	CBU	Japan	-	65	-	-	-	-	-	-	-	-	-	-	25.2%	10.6%	65
			Lexus RX 350	3456	AT	G	72	2545	-	R19	274 / 6200	-	4770X1885X1690	4	4X4	AWD	-	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Lexus LX 570	5663	AT	G	138	2635	-	285 / 60 R18	383 / 5600	-	4990X1970X1840	4	4X4	AWD	-	4	4	CBU	Japan	2	7	-	-	-	-	-	-	-	-	-	-	3.5%	1.5%	9
		MAZDA	All New CX-9	3726	AT	G	76	-	3464	245/50R20	277	2,875	5096 x 1936 x 1728	7	4X4	AWD	-	5	4	CBU	Japan	6	28	-	-	-	-	-	-	-	-	-	-	13.2%	5.5%	34
		TOYOTA	Land Cruiser 200	4700	MT	D	93	3350	-	285 / 65R / 17	235 / 3200	2,850	4950 X1970 X905	7	4X4	AWD	-	5	4	CBU	Japan	-	30	-	-	-	-	-	-	-	-	-	-	11.6%	4.9%	30
			Land Cruiser 70	4461	MT	D	93	3350	-	285 / 65R / 17	235 / 3200	2,850	4950 X1970 X905	7	4X4	AWD	-	5	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Fortuner VRZ 2.7 DSL FMC 2015 4x4 AT	2694	AT	D	80	-	4100	265 / 60 R18	149.3 / 3400	2,745	4795x1855x1835	7	4X4	AWD	5	5	4	CKD	INA	41	58	-	-	-	-	-	-	-	-	-	-	38.4%	16.1%	99
			Fortuner G 2.7 DSL FMC 4x4 2015 AT	2694	AT	D	80	-	4100	265 / 65 R17	149.3 / 3400	2,745	4795x1855x1835	7	4X4	AWD	5	5	4	CKD	INA	9	12	-	-	-	-	-	-	-	-	-	-	8.1%	3.4%	21
		VOLKWAGEN	Touareg 3.0 TDI	3000	AT	D	-	2174	4970	255/55/R18	240	2,893	4795 x 1940 x 1732	-	4X4	4WD	-	5	4	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
										TOTAL												**58**	**200**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**100%**	**42%**	**258**
										CUMULATIVE												58	258												**100%**	
			4X4 TYPE SALES TOTAL																			**286**	**330**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**			**616**
			4X4 TYPE SALES CUMULATIVE																			286	616													**0.3%**

4. BUS SALES `JANFEB 2018

CATEGORY		BRAND	MODEL/TYPE	CC	TRANS	FUEL	TANK CAPT	GVW (Kg)	GEAR RATIO	WHEEL & TYRE SIZE	PS / HP	WHEEL BASE	DIMENSION P x L xT	SEATER	DRIVE SYS.		SPEED	DOOR	WHEELS	CBU / CKD	ORIGIN COUNTRY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Segment Share	BUS Share	TOTAL 2018
BUS	GVW 5 - 10 Ton	MITSUBISHI FUSO	FE 71 BC - 4 W	3908	MT	D	70	5200	4875	7,50-15-12PR	110	2,500	4890 X 1750 X 2055	3	4X2	FR	116	3	4	CKD	INA	45	48	-	-	-	-	-	-	-	-	-	-	33.2%	14.5%	93
	[G/D]		FE 83 BC - 6 W	3908	MT	D	100	7000	5714	7,00-16-14PR	110	3,350	6260X 1930 X 1576	3	4X2	FR	100	3	6	CKD	INA	-	2	-	-	-	-	-	-	-	-	-	-	0.7%	0.3%	2
			FE 84G BC - 6 W	3908	MT	D	100	8000	6166	7,50-16-14PR	136	3,350	6050 X 2035 X 2210	3	4X2	FR	112	3	6	CKD	INA	95	63	-	-	-	-	-	-	-	-	-	-	56.4%	24.6%	158
		HINO	FB 130	4009	MT	D	100	8000	6167	7.50-16-14 PR	130	3,780	7045 x 2100 x 1770	27-31	4X2	FR	105	-	6	CKD	INA	2	2	-	-	-	-	-	-	-	-	-	-	1.4%	0.6%	4
			Dutro 110 SD-B	4009	MT	D	100	5200	4625	7.50-15-12PR	110	2,530	4745 x 1717 x 2120	-	4X2	FR	126	-	4	CKD	INA	3	-	-	-	-	-	-	-	-	-	-	-	1.1%	0.5%	3
			New 110 SDBL	4009	MT	D	100	7000	5125	7.00-16-14R	110	3,380	3380 x 6026 x 1864	-	4X2	FR	115	-	4	CKD	INA	6	3	-	-	-	-	-	-	-	-	-	-	3.2%	1.4%	9
		TATA MOTORS	LP 713	5675	MT	D	120	7700	3.11	7.5 R 16 - 14 PR	130	3,800	7125 x 2092 x 2878	19	4X2	FR	112	2	6	CBU	India	-	11	-	-	-	-	-	-	-	-	-	-	3.9%	1.7%	11
		TOYOTA	Dyna ST 110 PS Bus Long	4009	MT	D	100	5200	4625	7.50-15-12PR	110 / 2800	2,530	4745X1717X2120	2	4X2	FR	-	2	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Dyna FT 130 PS Bus Long	4009	MT	D	100	8250	6428	7.50-16-14PR	130 / 2700	3,380	6026X1945X2165	2	4X2	FR	-	2	6	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
										TOTAL												**151**	**129**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**100%**	**44%**	**280**
										CUMULATIVE												151	280													
	GVW 10 - 24 Ton	HINO	FC 190 J Bus	5123	MT	D	200	10400	6098	8.25-16-14R	190	5,320	9150 x 2160 x 2135	40	4X2	FR	112	-	6	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
	[G/D]		A 215	7684	MT	D	200	14200	5125	11R225-16PR	215	5,800	11180 x 2425 x 2100	43-59	4X2	FR	105	-	6	CKD	INA	6	2	-	-	-	-	-	-	-	-	-	-	2.3%	1.2%	8
			R 235	7684	MT	D	270	14200	4300	10.00-20-14 PR	235	6,000	11470 x 2440 x 1890	43-59	4X2	FR	116	-	6	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			R 260	7684	MT	D	270	14200	4300	11R225-16PR	260	6,000	11470 x 2465 x 1890	43-59	4X2	FR	116	-	6	CKD	INA	210	81	-	-	-	-	-	-	-	-	-	-	82.2%	45.4%	291
			RN 285	7684	MT	D	270	16000	4300	11R225-16PR	285	6,000	11670 x 2450 x 2020	43-59	4X2	FR	119	-	6	CKD	INA	19	6	-	-	-	-	-	-	-	-	-	-	7.1%	3.9%	25
		SCANIA	K250UB-4X2	9000	AT	D	300	18000	4.88	275/70R22.5	250	6,000	12000 x 2500 x 3785	2	4X2	FF	6	2	4	CKD	Swedia	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			K310IB-6X2	9000	AT	D	300	18000	4.88	275/70R22.5	250	6,000	12000 x 2500 x 3785	2	6X2	FF	6	2	4	CBU	Swedia	30	-	-	-	-	-	-	-	-	-	-	-	8.5%	4.7%	30
			K360IB-4X2	13000	MT	D	460	12000	3.07	295/80R22.5	360	6,000	12000 x 2500 x 3785	2	4X2	FF	8	2	4	CKD	Swedia	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
										TOTAL												**265**	**89**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**100%**	**55%**	**354**
										CUMULATIVE												265	354													
	GVW > 24 Ton	SCANIA	K320IA-6X2/2	9000	AT	G	1500	26000	5.14	275/70R22.5	320	5,200	17590 x 2500 x 1691	2	6X2	FF	6	2	6	CBU	Swedia	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
	[G/D]		K410IB-6X2*4	13000	AT	D	460	25000	3.07	295/80R22.5	410	6,000	13095 x 2500 x 1680	2	6X2	FF	12	2	6	CBU	Swedia	1	6	-	-	-	-	-	-	-	-	-	-	100.0%	1.1%	7
										TOTAL												**1**	**6**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**100%**	**1%**	**7**
										CUMULATIVE												1	7													
			BUS SALES TOTAL																			**417**	**224**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**		**100%**	**641**
			BUS SALES CUMULATIVE																			417	641													**0.3%**

GAIKNDO WHOLESALES DATA
`JANFEB 2018

5. PICK UP/TRUCK SALES `JANFEB 2018

CATEGORY		BRAND	MODEL/TYPE	CC	TRANS	FUEL	TANK CAPT	GVW	GEAR RATIO	WHEEL & TYRE SIZE	PS / HP	WHEEL BASE	DIMENSION P x L xT	SEATER	DRIVE SYS.		SPEED	DOOR	WHEEL	CBU / CKD	ORIGIN COUNTRY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Segment Share	PU/Truck Share	TOTAL 2018
PICK UP	GVW < 5 Ton	CHEVROLET	Colorado Crew Cab 2.5	2500	MT	D	-	-	-	-	-	-	-	-	4X4	AWD	-	-	-	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
	(G/D)	DAIHATSU	Gran Max PU STD	1298	MT	G	43	1950	5125	175R13-8PR	88	2,650	4149X1665X1850	3	4X2	FR	-	2	4	CKD	INA	936	662	-	-	-	-	-	-	-	-	-	-	6.3%	3.7%	1,598
			Gran Max PU 3-Way	1298	MT	G	43	1950	5125	175R13-8PR	88	2,650	4195X1675X1890	3	4X2	FR	-	2	4	CKD	INA	235	73	-	-	-	-	-	-	-	-	-	-	1.2%	0.7%	308
			Gran Max PU STD	1495	MT	G	43	2100	5125	175R13-8PR	97	2,650	4149X1665X1850	3	4X2	FR	-	2	4	CKD	INA	3,126	2,867	-	-	-	-	-	-	-	-	-	-	23.5%	14.0%	5,993
			Gran Max PU 3-Way	1495	MT	G	43	2100	5125	175R13-8PR	97	2,650	4149X1665X1850	3	4X2	FR	-	2	4	CKD	INA	93	93	-	-	-	-	-	-	-	-	-	-	0.7%	0.4%	186
		HYUNDAI	H-100 PU	2600	MT	G	75	-	-	-	-	-	-	3	4X2	-	-	2	4	CBU	Korea	3	4	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	7
			H-100 Chs	2600	MT	G	75	-	-	-	-	-	-	3	4X2	-	-	2	4	CBU	Korea	2	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	3
		ISUZU	Bison Flet Bed	2499	MT	D	47	2540	-	-	-	-	-	-	4X2	-	-	2	4	CKD	INA	8	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	8
			Panther PU STD	2499	MT	D	55	1990	4100	165-R13C-8PR	80	2,680	4,360 x 1,650 x 1,725	3	4X2	FR	-	2	4	CKD	INA	49	36	-	-	-	-	-	-	-	-	-	-	0.3%	0.2%	85
			Panther PU F/D	2499	MT	D	55	1990	4100	165-R13C-8PR	80	2,680	4,360 x 1,650 x 1,725	3	4X2	FR	-	2	4	CKD	INA	23	27	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	50
			Panther PU GD 3 Way	2499	MT	D	55	1990	4100	165-R13C-8PR	80	2,680	4,655 x 1,820 x 1,790	3	4X2	FR	-	2	4	CKD	INA	38	37	-	-	-	-	-	-	-	-	-	-	0.3%	0.2%	75
			D-MAX SC	2499	MT	D	76	2750	4100	245/70/R16	109	3,095	5,215 x 1,860 x 1,780	3	4X4	4WD	-	2	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		KIA	K-2700 BIG-UP PU	2665	MT	D	70	2950	4444	195 R14	58.5/4.150 (kW/rpm)	2,415	4820 x 1790 x 2070	3	4X2	FR	-	2	4	CBU	Korea	50	-	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	50
		MITSUBISHI MOTORS	T-120SS 1.5 PU FLD	1500	MT	G	42	1760	4875	5,50-13-8PR	86	1,970	3720 X 1560 X 1825	3	4X2	FR	140	2	4	CKD	INA	745	653	-	-	-	-	-	-	-	-	-	-	5.5%	3.3%	1,398
			T-120SS 1.5 PU STD	1500	MT	G	42	1760	4875	5,50-13-8PR	86	1,970	3720 X 1560 X 1825	3	4X2	FR	140	2	4	CKD	INA	141	101	-	-	-	-	-	-	-	-	-	-	0.9%	0.6%	242
			T-120SS 1.5 PU 3 Way	1500	MT	G	42	1760	4875	5,50-13-8PR	86	1,970	3940 X 1680 X 1905	3	4X2	FR	140	2	4	CKD	INA	103	55	-	-	-	-	-	-	-	-	-	-	0.6%	0.4%	158
			L300 D P/U FLD	2500	MT	D	47	2450	5286	7,00-14-8PR	74	2,200	4170 X 1700 X 1845	3	4X2	FR	140	2	4	CKD	INA	1,644	1,576	-	-	-	-	-	-	-	-	-	-	12.6%	7.5%	3,220
			L300 D P/U STD	2500	MT	D	47	2450	5286	7,00-14-8PR	74	2,200	4170 X 1700 X 1845	3	4X2	FR	140	2	4	CKD	INA	358	315	-	-	-	-	-	-	-	-	-	-	2.6%	1.6%	673
			L300 D C/H	2500	MT	D	47	2450	5286	7,00-14-8PR	74	2,200	4170 X 1700 X 1845	3	4X2	FR	140	2	4	CKD	INA	47	35	-	-	-	-	-	-	-	-	-	-	0.3%	0.2%	82
			L300 D CC	2477	MT	D	47	2540	5286	7,00-14-8PR	74	2,200	4195 X 1695 X 1820	3	4X2	FR	-	2	4	CKD	INA	206	215	-	-	-	-	-	-	-	-	-	-	1.6%	1.0%	421
			Triton 2.5L SC HDX (4X4) MT	2477	MT	D	75	2760	4636	245/75/R16	178	3,000	5080 X 1815 X 1795	5	4X4	4WD	165	4	4	CBU	Thailand	123	214	-	-	-	-	-	-	-	-	-	-	1.3%	0.8%	337
			Triton 2.5L SC GLX (4X2) MT	2477	MT	D	75	2760	4090	205R16C 110/80R 8PR	136	3,000	5080 X 1785 X 1780	2	4x2	FR	-	2	4	CBU	Thailand	39	69	-	-	-	-	-	-	-	-	-	-	0.4%	0.3%	108
			Triton 2.5L CC GLX (4X2) MT	2477	MT	D	75	2760	4090	205R16C 110/80R 8PR	136	3,000	5080 X 1785 X 1780	2	4x2	FR	-	2	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		SUZUKI	APV PU	1495	MT	G	46	1950	4300	185 R14 C	92.4	2,625	4155 X 1680 X 1865	2	4X2	FR	-	2	4	CKD	INA	1,009	1,126	-	-	-	-	-	-	-	-	-	-	8.4%	5.0%	2,135
			APV PU X-TRA	1495	MT	G	46	1950	4300	185 R14 C	92.4	2,625	4405 X 1750 X 1865	2	4X2	FR	-	2	4	CKD	INA	589	581	-	-	-	-	-	-	-	-	-	-	4.6%	2.7%	1,170
			Carry 1.5 PU FD	1493	MT	G	42	2085	4875	5,50 R13-8PR	87	1,970	3780 X 1580 X 1825	3	4X2	FR	-	2	4	CKD	INA	2,826	2,873	-	-	-	-	-	-	-	-	-	-	22.3%	13.3%	5,699
			Carry 1.5 PU WD	1493	MT	G	42	2085	4875	6,00 R13-8PR	87	1,970	3930 X 1830 X 1850	3	4X2	FR	-	2	4	CKD	INA	407	445	-	-	-	-	-	-	-	-	-	-	3.3%	2.0%	852
		DFSK	DFSK DXK1021TYQ1 1.5 AC STD (4X2) MT	1498	MT	G	55	2460	0	185R14C-8PR	102	2,750	4440 X 1810 X 1890	3	4X2	FR	-	2	4	CKD	INA	50	34	-	-	-	-	-	-	-	-	-	-	0.3%	0.2%	84
			DFSK DXK1021TYD1 1.3T AC STD (4X2) MT	1248	MT	D	55	2655	0	195R14C-8PR	74	2,750	4280 X 1810 X 1890	3	4X2	FR	-	2	4	CKD	INA	4	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	4
			DFSK DXK1021TYDJ1 1.3T (4X2) MT	1248	MT	D	55	2655	0	195R14C-8PR	74	2,750	4280 X 1810 X 1890	3	4X2	FR	-	2	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		TATA	Super Ace Dle	1405	MT	D	38	2170	4.1	165 R14 - 8 PR	70	2,380	4340 x 1565 x 1858	2	4X2	FR	125	5	4	CBU	India	1	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			Super Ace Dls	1405	MT	D	38	2170	4.1	165 R14 - 8 PR	70	2,380	4340 x 1565 x 1858	2	4X2	FR	125	5	4	CBU	India	22	34	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	56
			Super Ace Dls SC CHA	1405	MT	D	38	2170	4.1	165 R14 - 8 PR	70	2,380	4340 x 1565 x 1858	2	4X2	FR	125	2	4	CBU	India	1	5	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	6
			Xenon RX	2956	MT	D	60	2950	3.7	215/75 R16	73	3,150	5361 x 1860 x 1785	2	4X2	FR	120	5	4	CBU	India	24	22	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	46
			ACE EX2	702	MT	D	-	1550	-	155 R13 LT - 8 PR	16	2,100	3800 x 1500 x 1861	2	4X2	FR	70	2	4	CBU	India	2	2	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	4
			Xenon XT	2179	MT	D	65	2950	3.73	215/75 R 16	140	3,150	5125 x 1860 x 1765	5	4X4	4WD	160	4	4	CBU	India	1	2	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	3
		TOYOTA	HiLux 2.5 P/U SC E	2500	MT	D	65	1490	-	255 / 70 R15C	102 / 3600	2,750	4800X1760X1680	2	4X4	FR	-	4	4	CBU	Thailand	43	122	-	-	-	-	-	-	-	-	-	-	0.6%	0.4%	165
			HiLux 2.5 P/U Extra SC E	2494	MT	D	65	1490	-	255 / 70 R15C	102 / 3600	2,750	4800X1760X1680	2	4X4	FR	5	2	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			HiLux 2.0 P/U SC	2000	MT	G	65	1265	-	205 / 70 R15	136 / 5600	2,750	4800X1760X1680	2	4X2	FR	-	2	4	CBU	Thailand	110	218	-	-	-	-	-	-	-	-	-	-	1.3%	0.8%	328
			TOTAL																			13,058	12,498	-	-	-	-	-	-	-	-	-	-	100%	60%	25,556
			CUMULATIVE																			13,058	25,556													
TRUCK	GVW 5 - 10 Ton	FAW	MINI MIXER CA 5075GJBYA81 (DB130 MT)	4214	MT	D	80	10000	-	-	-	-	-	-	4X2	-	-	2	4	CBU	China	-	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
	(G/D)	HINO	Dutro 110 SD STD	4009	MT	D	100	5200	4625	7.50-15-12 PR	110	2,530	4745 x 1717 x 2120	2	4X2	FR	126	2	4	CKD	INA	134	130	-	-	-	-	-	-	-	-	-	-	2.2%	0.6%	264
			Dutro 110SD-LT	4009	MT	D	100	5200	4625	7.50-15-12 PR	110	2,530	4745 x 1717 x 2120	2	4X2	FR	126	2	4	CKD	INA	1	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			Dutro 110 LD STD	4009	MT	D	100	7000	5125	7.00-16-14 PR	110	3,380	6026 x 1864 x 2150	2	4X2	FR	115	2	6	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Dutro 110 HD STD	4009	MT	D	100	7500	6167	7.50-16-14 PR	110	3,380	6026 x 1945 x 2165	2	4X2	FR	98	2	6	CKD	INA	24	65	-	-	-	-	-	-	-	-	-	-	0.7%	0.2%	89
			Dutro 130 MD STD	4009	MT	D	100	7500	5375	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	124	2	6	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Dutro 130 MD-L	4009	MT	D	100	8250	6428	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	103	2	6	CKD	INA	2	2	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	4
			Dutro 130 HD STD 6.4	4009	MT	D	100	8250	6833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	577	573	-	-	-	-	-	-	-	-	-	-	9.6%	2.7%	1,150
			New 110 SDR	4009	MT	D	100	8250	6833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	23	12	-	-	-	-	-	-	-	-	-	-	0.3%	0.1%	35
			New 110 SDL	4009	MT	D	100	8250	6833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	102	71	-	-	-	-	-	-	-	-	-	-	1.4%	0.4%	173
			New 110 LD	4009	MT	D	100	8250	6833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	6	20	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	26
			New 110 LDL	4009	MT	D	100	8250	6833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	13	10	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	23
			New 130 MD	4009	MT	D	100	8250	6833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	3	12	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	15
			New 130 MDL	4009	MT	D	100	8250	6833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	62	52	-	-	-	-	-	-	-	-	-	-	1.0%	0.3%	114
			New 130 HD Cargo	4009	MT	D	100	8250	6833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			New 130 HDL Cargo	4009	MT	D	100	8250	6833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	60	59	-	-	-	-	-	-	-	-	-	-	1.0%	0.3%	119
		ISUZU	NKR 55 C/C	2771	MT	D	75	5300	5857	7.50-15-12PR	100	2,095	4,590 x1,695 x 2,095	3	4X2	FR	107	2	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			NQR71 EC	4570	MT	D	100	8000	6142	7.50-15-14PR	125	4,175	7,445 x 2,100 x 1,630	-	4X2	FR	110	2	6	CKD	INA	15	31	-	-	-	-	-	-	-	-	-	-	0.4%	0.1%	46
			NKR71 STD 5,8	4570	MT	D	100	8250	5857	7.50-15-14PR	125	3,360	5,905 x 1920 x 2,120	3	4X2	FR	105	2	6	CKD	INA	2	9	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	11
			NMR71T SD	4570	MT	D	100	8250	5375	7.50-15-14PR	125	3,360	6000 x1,920x2,280	3	4X2	FR	107	2	6	CKD	INA	60	72	-	-	-	-	-	-	-	-	-	-	1.1%	0.3%	132
			NMR71T HD 5.8	4570	MT	D	100	8250	5857	7.50-15-14PR	125	3,360	6,000x1,990x2,280	3	4X2	FR	102	2	6	CKD	INA	189	224	-	-	-	-	-	-	-	-	-	-	3.4%	1.0%	413
			NLR55 T	2771	MT	D	75	5100	4.875	7.50-15-10PR	100	2,490	4,700 x 1,835 x 2,200	3	4X2	FR	-	2	4	CKD	INA	226	209	-	-	-	-	-	-	-	-	-	-	3.6%	1.0%	435
			NLR55 B	2771	MT	D	75	5100	4.875	225/75/R16	100	2,490	4,870 x 1,835 x 2,170	16	4X2	FR	-	2	4	CKD	INA	23	40	-	-	-	-	-	-	-	-	-	-	0.5%	0.1%	63
			NLR55 BX	2771	MT	D	100	5100	5.857	225/75/R16	100	3,360	6,170 x 1,835 x 2,170	19	4X2	FR	-	2	4	CKD	INA	50	75	-	-	-	-	-	-	-	-	-	-	1.0%	0.3%	125
			NLR71 T	4570	MT	D	75	5100	4.556	750-15-12PR	125	2,490	4,700 x 1,835 x 2,200	3	4X2	FR	-	2	4	CKD	INA	28	4	-	-	-	-	-	-	-	-	-	-	0.3%	0.1%	32
			NLR71 BL	4570	MT	D	100	5100	4.3	225/75/R16	125	3,360	6,170 x 1,835 x 2,200	3	4X2	FR	-	2	4	CKD	INA	1	9	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	10
			NHR 55 C/C	2771	MT	D	75	5100	4875	7.50-15-10PR	100	2,095	4,590 x1,695 x 2,095	3	4X2	FR	103	2	4	CKD	INA	2	6	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	8
			NHR 55 C/O	2771	MT	D	75	5100	4875	225/75/R16	100	2,490	4,590 x1,695 x 2,127	-	4X2	FR	105	2	4	CKD	INA	5	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	5
			NKR 55 C/O	2771	MT	D	75	5300	5857	225/75/R16	100	2,490	4,590 x1,695 x 2,127	-	4X2	FR	106	2	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			NKR 55 LWB	2771	MT	D	75	5300	5857	7.50-15-14PR	100	3,405	5,540 x 1,695 x 2,095	3	4X2	FR	102	4	4	CKD	INA	30	1	-	-	-	-	-	-	-	-	-	-	0.3%	0.1%	31
			NMR71T SDL	4570	MT	D	100	8250	5857	7.50-15-14PR	125	3,360	6,000x1,990x2,280	3	4X2	FR	102	2	6	CKD	INA	152	88	-	-	-	-	-	-	-	-	-	-	2.0%	0.6%	240
			NMR71T HD 6.1	4570	MT	D	100	8250	5857	7.50-15-14PR	125	3,360	6,000x1,990x2,280	3	4X2	FR	102	2	6	CKD	INA	217	371	-	-	-	-	-	-	-	-	-	-	4.9%	1.4%	588
			FRR90	5193	MT	D	100	10000	5571	8.25-16-14PR	190	5,320	8,625 x 2,200 x 2,540	3	4X2	FR	103	2	6	CKD	INA	15	13	-	-	-	-	-	-	-	-	-	-	0.2%	0.1%	28
		MITSUBISHI FUSO	FE 71 - 4 W	3908	MT	D	70	5150	4875	7.50-15-12 PR	110	2,500	4735 X 1750 X 2055	3	4X2	FR	116	2	4	CKD	INA	626	563	-	-	-	-	-	-	-	-	-	-	9.9%	2.8%	1,189
			FE 73 - 6 W	3908	MT	D	100	7000	5714	7,00-16-14PR	110	3,350	5960 X 1870 X 2130	3	4X2	FR	100	2	6	CKD	INA	33	41	-	-	-	-	-	-	-	-	-	-	0.6%	0.2%	74
			FE 73 HD - 6 W	3908	MT	D	100	7000	6166	7,00-16-14PR	110	3,350	5960 X 1870 X 2130	3	4X2	FR	94	2	6	CKD	INA	19	17	-	-	-	-	-	-	-	-	-	-	0.3%	0.1%	36
			FE 74 HDV - 6 W	3908	MT	D	100	7500	6333	7,50-16-14PR	125	3,350	5960 X 1970 X 2145	3	4X2	FR	113	2	6	CKD	INA	1,676	1,588	-	-	-	-	-	-	-	-	-	-	27.3%	7.6%	3,264
			FE 74 S - 6 W	3908	MT	D	100	7500	5571	7,50-16-14PR	125	3,350	5960 X 1970 X 2145	3	4X2	FR	120	2	6	CKD	INA	509	428	-	-	-	-	-	-	-	-	-	-	7.8%	2.2%	937
			FE 75 SUPER HD - 6 W	3908	MT	D	100	8250	6333	7,50-16-14PR	136	3,350	5960 X 1970 X 2145	3	4X2	FR	113	2	6	CKD	INA	690	914	-	-	-	-	-	-	-	-	-	-	13.4%	3.7%	1,604
			FE 84 - 6 W	3908	MT	D	100	8000	5714	7,50-16-14PR	136	3,850	6770 X 2035 X 2210	3	4X2	FR	113	2	6	CKD	INA	193	280	-	-	-	-	-	-	-	-	-	-	4.0%	1.1%	473
		TATA MOTORS	Ultra 1012/45	3784	MT	D	160	9990	4.9	235/75R 17.5	125	4,530	8054 x 2204 x 2469	2	4X2	FR	95	2	6	CBU	India	-	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			Ultra 1012/33	3784	MT	D	160	9990	4.9	235/75R 17.5	125	3,310	6245 x 2204 x 2469	2	4X2	FR	95	2	6	CBU	India	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			LPT 913	5675	MT	D	120	9000	3.44	8.25 R 16-16 PR	130	3,400	6210 x 2140 x 2341	2	4X2	FR	90	2	6	CBU	India	20	13	-	-	-	-	-	-	-	-	-	-	0.3%	0.1%	33
		TOYOTA	Dyna ST 110	4009	MT	D	100	5200	4625	7.50-15-12PR	110 / 2800	2,530	4745X1717X2120	2	4X2	FR	-	2	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Dyna ST 110 PS STD	4009	MT	D	100	5200	4625	7.50-15-12PR	110 / 2800	2,530	4745X1717X2120	2	4X2	FR	-	2	4	CKD	INA	20	20	-	-	-	-	-	-	-	-	-	-	0.3%	0.1%	40
			Dyna FT 110 PS	4009	MT	D	100	7000	5125	7.50-15-12PR	110 / 2800	3,380	6026X1864X2150	2	4X2	FR	-	2	6	CKD	INA	-	5	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	5
			Dyna ET 110	4009	MT	D	100	7500	6167	7.50-16-14PR	110 / 2800	3,380	6026X1945X2165	2	4X2	FR	-	2	6	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Dyna ET 110 PS	4009	MT	D	100	7500	6167	7.50-16-14PR	110 / 2800	3,380	6026X1945X2165	2	4X2	FR	-	2	6	CKD	INA	5	5	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	10
			Dyna HT 130 Hi Gear	4009	MT	D	100	8250	6428	7.50-16-14PR	130 / 2700	3,380	6026X1945X2165	2	4X2	FR	-	2	6	CKD	INA	50	45	-	-	-	-	-	-	-	-	-	-	0.8%	0.2%	95
			Dyna HT 130 STD Gear	4009	MT	D	100	8250	6428	7.50-16-14PR	130 / 2700	3,380	6026X1945X2165	2	4X2	FR	-	2	6	CKD	INA	5	5	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	10
			Dyna HT 130 Extreme HI Gear	4009	MT	D	100	8250	6428	7.50-16-14PR	130 / 2700	3,380	6026X1945X2165	2	4X2	FR	-	2	6	CKD	INA	5	5	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	10
			Dyna HT 130 PS Expedition	4009	MT	D	100	8250	6428	7.50-16-14PR	130 / 2700	3,380	6026X1945X2165	2	4X2	FR	-	2	6	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Dyna XT 130 PS Long HIGH Gear	4009	MT	D	100	8250	6428	7.50-16-14PR	130 / 2700	3,380	6026X1945X2165	2	4X2	FR	-	2	6	CKD	INA	5	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	5
			Dyna FT 130 PS Off Road Hi Gear	4009	MT	D	100	8250	6428	7.50-16-14PR	130 / 2700	3,380	6026X1945X2165	2	4X2	FR	-	2	6	CKD	INA	-	5	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	5
			TOTAL																			5,878	6,095	-	-	-	-	-	-	-	-	-	-	100%	28%	11,973
			CUMULATIVE																			5,878	11,973													
	GVW 10 - 24 Ton	HINO	FG 215 JE	7684	MT	D	200	14200	5857	9.00-20-14 PR	215	4,600	8025 x 2400 x 2610	2	4X2	FR	104	2	6	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
	(G/D)		FG 215 JP	7684	MT	D	200	14200	5857	9.00-20-14 PR	215	5,530	9410 x 2400 x 2610	2	4X2	FR	104	2	6	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			FC 190 J	5123	MT	D	200	10400	5142	8.25-16-14 PR	190	5,320	8980 x 2175 x 2485	2	4X2	FR	112	2	6	CKD	INA	1	2	-	-	-	-	-	-	-	-	-	-	0.3%	0.0%	3
			FG 235 JJ	7684	MT	D	200	15100	5857	10.00-20-16 PR	235	4,280	7520 x 2425 x 2625	2	4X2	FR	94	2	6	CKD	INA	39	54	-	-	-	-	-	-	-	-	-	-	9.0%	0.2%	93
			FG 245 JJ	7684	MT	D	200	15100	6833	10.00-20-16 PR	245	4,330	7600 x 2490 x 2755	2	4X2	FR	103	2	6	CKD	INA	5	-	-	-	-	-	-	-	-	-	-	-	0.5%	0.0%	5
			FG 235 JK	7684	MT	D	200	15100	5857	10.00-20-16 PR	235	4,600	8010 x 2425 x 2625	2	4X2	FR	94	2	6	CKD	INA	12	15	-	-	-	-	-	-	-	-	-	-	2.6%	0.1%	27
			FG 245 JK	7684	MT	D	200	15100	6428	10.00-20-16 PR	245	4,630	8150 x 2490 x 2755	2	4X2	FR	109	2	6	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			FG 235 JL	7684	MT	D	200	15100	5857	10.00-20-16 PR	235	4,850	8555 x 2425 x 2625	2	4X2	FR	94	2	6	CKD	INA	19	39	-	-	-	-	-	-	-	-	-	-	5.6%	0.1%	58
			FG 245 JL	7684	MT	D	200	15100	6428	10.00-20-16 PR	245	4,780	8650 x 2490 x 2755	2	4X2	FR	109	2	6	CKD	INA	1	-	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	1
			FG 235 JP	7684	MT	D	200	15100	5857	10.00-20-16 PR	235	5,530	9615 x 2425 x 2625	2	4X2	FR	94	2	6	CKD	INA	100	107	-	-	-	-	-	-	-	-	-	-	20.0%	0.5%	207
			FG 260 JM	7684	MT	D	200	15100	5857	10.00-20-16 PR	260	5,050	8680 x 2425 x 2625	2	4X2	FR	94	2	6	CKD	INA	-	2	-	-	-	-	-	-	-	-	-	-	0.2%	0.0%	2
			FG 235 JS	7684	MT	D	200	15100	5857	10.00-20-16 PR	235	6,220	10500 x 2455 x 2630	2	4X2	FR	94	2	6	CKD	INA	43	31	-	-	-	-	-	-	-	-	-	-	7.2%	0.2%	74
		ISUZU	FVR34P	7790	MT	D	100	14000	7167	10.00-20-16PR	240	5,050	8,895 x 2,450 x 2,860	3	4X2	FR	95	2	6	CKD	INA	45	11	-	-	-	-	-	-	-	-	-	-	5.4%	0.1%	56
			FVR34L	7790	MT	D	200	16000	7167	10.00-20-16PR	240	4,250	7,685 x 2,450 x 2,860	3	4X2	FR	95	2	6	CKD	INA	-	4	-	-	-	-	-	-	-	-	-	-	0.4%	0.0%	4
			FVR34S	7790	MT	D	200	16000	7167	10.00-20-16PR	240	6,050	10,495 x 2,450 x 2,860	3	4X2	FR	95	2	6	CKD	INA	13	10	-	-	-	-	-	-	-	-	-	-	2.2%	0.1%	23
			FTR90P	5193	MT	D	200	14000	6500	9.00-20-14PR	210	5,050	8,505 x 2,400 x 2,720	3	4X2	FR	107	2	6	CKD	INA	3	-	-	-	-	-	-	-	-	-	-	-	0.3%	0.0%	3
			FTR90S	5193	MT	D	200	14000	6500	9.00-20-14PR	210	6,050	10,005 x 2,400 x 2,720	3	4X2	FR	107	2	6	CKD	INA	6	26	-	-	-	-	-	-	-	-	-	-	3.1%	0.1%	32
			FTR90L	5193	MT	D	100	14000	65	9.00-20-14PR	210	4,250	7,345 x 2,400 x 2,720	3	4X2	FR	107	2	6	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			FVM34 Q	7790	MT	D	100	16000	7167	10.00-20-16PR	240	4850+650	8,810 x 2,450 x 2,860	3	6X2	FR	98	2	6	CKD	INA	-	6	-	-	-	-	-	-	-	-	-	-	0.6%	0.0%	6
			GVR34H	7790	MT	D	200	16000	5125	10.00-20 16PR	285	3,450	5948 x 2470 x 2860	3	4X2	FR	95	2	6	CKD	INA	37	35	-	-	-	-	-	-	-	-	-	-	7.0%	0.2%	72
		MITSUBISHI FUSO	FM 517 HS (4X2)	7545	MT	D	200	14030	6666	10,00-20-16PR	220	4,280	7.535 X 2.410 X 2.710	3	4X2	FR	96	2	6	CKD	INA	79	52	-	-	-	-	-	-	-	-	-	-	12.7%	0.3%	131
			FM 517 HL (4X2)	7545	MT	D	200	14030	6166	10,00-20-16PR	220	5,550	9.405 X 2.410 X 2.710	3	4X2	FR	96	2	6	CKD	INA	29	48	-	-	-	-	-	-	-	-	-	-	7.4%	0.2%	77
			FN 517 ML2 (6X2)	7545	MT	D	200	21000	6666	10,00-20-16PR	220	7,190	11.135 X 2.410 X 2.72	3	6X2	FR	96	2	10	CKD	INA	14	73	-	-	-	-	-	-	-	-	-	-	8.4%	0.2%	87
		UD TRUCKS	CKE25042R	7698	MT	D	315	21000	5570	11,00-20-16PR	250	5,200	8,975 x 2,500 x 3,220	3	4X2	FR	90	2	6	CBU	Thailand	30	43	-	-	-	-	-	-	-	-	-	-	7.1%	0.2%	73
			TOTAL																			476	558	-	-	-	-	-	-	-	-	-	-	100%	2%	1,034
			CUMULATIVE																			476	1,034													
	GVW > 24 Ton	FAW	TRACTOR HEAD CA416P1K2YA80 (DB300TH)	7700	MT	D	350	41005	-	-	-	-	-	-	4X2	-	-	2	4	CBU	China	3	4	-	-	-	-	-	-	-	-	-	-	0.2%	0.0%	7
	(G/D)		TRACTOR HEAD CA4322P2K15T1YA80 (FD336TH)	9726	MT	D	400	60000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	2	1	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	3
			TRACTOR HEAD CA4252P21KK2T1A1Y (FD420TH)	11040	MT	D	500	80000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	1	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			TRACTOR HEAD CA4250P66K24T1A1EX (FD420TH/J6)	11040	MT	D	500	80000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			CHASSIS CA1320P2K15L3T1YA80 (FD336CG)	9726	MT	D	400	32000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	2	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			CHASSIS CA1310P2K15L7T4YA80 (HD360CG)	9726	MT	D	400	38000	-	-	-	-	-	-	8X4	-	-	2	8	CBU	China	3	14	-	-	-	-	-	-	-	-	-	-	0.4%	0.0%	17
			CHASSIS CARGO CA 1253P7K2L11T1 (FD280CG)	7700	MT	D	300	26000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	-	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			CHASSIS CARGO CA1254P7K2L11T1 (FD280CT)	7700	MT	D	300	26000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	-	2	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			CHASSIS CARGO CA1310PK2L7T4A80 (HD220 CG)	6557	MT	D	150	29800	-	-	-	-	-	-	8X4	-	-	2	8	CBU	China	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			DUMP TRUCK CA3256P2K15T1YA80 (FD336DT)	9726	MT	D	400	32000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	10	8	-	-	-	-	-	-	-	-	-	-	0.4%	0.0%	18
			DUMP TRUCK CA 3312P2K15T4YA80 (HD360DT)	9726	MT	D	400	38000	-	-	-	-	-	-	8X4	-	-	2	8	CBU	China	1	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			DUMP TRUCK CA3253P7K2T1 (FD 280DT)	7700	MT	D	300	26000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	-	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			SELF LOADER CA 1320P2K15L3T1YA80 (FD336SL)	9726	MT	D	400	32000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	1	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			TRACTOR HEAD CA4258P2K15T1NYA80 (FD38-CNG	11596	MT	CNG	8x140	70000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		HINO	SG 260 TH	7684	MT	D	200	34000	5428	10.00-R20-16 PR	260	3,280	5545 x 2490 x 2730	2	4X2	FR	100	2	6	CKD	INA	81	74	-	-	-	-	-	-	-	-	-	-	3.6%	0.4%	155
			SG 285 TH	7684	MT	D	200	38000	5285	10.00-R20-16 PR	285	3,280	5545 x 2490 x 2730	2	4X2	FR	106	2	6	CKD	INA	-	13	-	-	-	-	-	-	-	-	-	-	0.3%	0.0%	13
			FL 235 JN	7684	MT	D	200	26000	5857	10.00-20-16 PR	235	4130+1300	8480 x 2460 x 2695	2	6X2	FR	94	2	10	CKD	INA	18	25	-	-	-	-	-	-	-	-	-	-	1.0%	0.1%	43
			FL 245 JN	7684	MT	D	200	26000	6833	11.00-20-16 PR	245	4030+1350	8950 x 2490 x 2785	2	6X2	FR	106	2	10	CKD	INA	3	-	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	3
			FL 235 JW	7684	MT	D	200	26000	5857	10.00-20-16 PR	235	5760+1300	11275 x 2460 x 2695	2	6X2	FR	94	2	10	CKD	INA	240	175	-	-	-	-	-	-	-	-	-	-	9.7%	1.0%	415
			FL 260 JT	7684	MT	D	200	26000	5857	10.00-20-16 PR	260	4980+1300	9730 x 2450 x 2695	2	6X2	FR	94	2	10	CKD	INA	16	22	-	-	-	-	-	-	-	-	-	-	0.9%	0.1%	38
			FM 235 JD	7684	MT	D	200	26000	6428	11.00-20-16PR	235	4030+1350	8645+2490+2780	2	6X4	FR	87	2	10	CKD	INA	1	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			FL 260 JW	7684	MT	D	200	26000	5857	10.00-20-16 PR	260	5760+1300	11275 x 2460 x 2695	2	6X2	FR	94	2	10	CKD	INA	91	91	-	-	-	-	-	-	-	-	-	-	4.2%	0.4%	182
			FM 260 JW	7684	MT	D	200	26000	5857	10.00-20-16 PR	260	5760+1300	11275 x 2450 x 2700	2	6X4	FR	86	2	10	CKD	INA	51	87	-	-	-	-	-	-	-	-	-	-	3.2%	0.3%	138
			FM 260 JD	7684	MT	D	200	26000	6428	10.00-20-16 PR	260	4130+1300	8480 x 2450 x 2700	2	6X4	FR	86	2	10	CKD	INA	455	707	-	-	-	-	-	-	-	-	-	-	27.1%	2.7%	1,162
			FM 285 JW	7684	MT	D	200	26000	5857	10.00-20-16 PR	285	5760+1300	11225 x 2460 x 2700	2	6X4	FR	94	2	10	CKD	INA	6	6	-	-	-	-	-	-	-	-	-	-	0.3%	0.0%	12
			FM 285 JD	7684	MT	D	200	26000	6142	10.00-20-16 PR	285	4130+1300	8480 x 2460 x 2700	2	6X4	FR	90	2	10	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			FM 260 JM	7684	MT	D	200	26000	6428	10.00-20-16 PR	260	3380+1300	7330 x 2450 x 2700	2	6X4	FR	86	2	10	CKD	INA	36	8	-	-	-	-	-	-	-	-	-	-	1.0%	0.1%	44
			FM 285 JM	7684	MT	D	200	26000	6428	11.00-20-16 PR	285	3280+1350	7445 x 2490 x 2785	2	6X4	FR	88	2	10	CKD	INA	-	3	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	3
			FM 350 PD	10520	MT	D	200	26000	5857	11.00-20-18 PR	350	3930+1350	8745 x 2490 x 2920	2	6X4	FR	107	2	10	CKD	INA	13	3	-	-	-	-	-	-	-	-	-	-	0.4%	0.0%	16
			FM 260 TH	7684	MT	D	200	35000	6428	10.00-20-16 PR	260	3380+1300	6615 x 2480 x 2675	2	6X4	FR	86	2	10	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			FM 265 TH	7684	MT	D	200	35000	5857	11.00-R20-16 PR	265	3280+1350	6745 x 2495 x 2755	2	6X4	FR	97	2	10	CKD	INA	1	7	-	-	-	-	-	-	-	-	-	-	0.2%	0.0%	8
			FM 285 TH	7684	MT	D	200	38000	5857	11.00-R20-16 PR	285	3280+1350	6745 x 2495 x 2755	2	6X4	FR	97	2	10	CKD	INA	3	14	-	-	-	-	-	-	-	-	-	-	0.4%	0.0%	17
			FG 235 TH	7684	MT	D	200	30000	5857	10.00-20-16 PR	235	3,450	5665 x 2475 x 2625	2	4X2	FR	94	2	6	CKD	INA	78	100	-	-	-	-	-	-	-	-	-	-	4.2%	0.4%	178
			FG 245 TH	7684	MT	D	200	32000	6428	10.00-R20-16 PR	245	3,280	5485 x 2490 x 2750	2	4X2	FR	110	2	6	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			ZY - HR	12913	MT	D	330	50000	5.41	12.00 R24	410	1850+3750+1500	9290 x 2545 x 3205	2	8X4	FR	99	2	12	CBU	Japan	6	15	-	-	-	-	-	-	-	-	-	-	0.5%	0.0%	21
			ZS4141	12913	MT	D	330	41000	7.21	12.00 R24	410	4145+1500	8245 x 2545 x 3205	2	6X4	FR	75	2	10	CBU	Japan	2	2	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	4
			FM 350 TH	10520	MT	D	200	44000	5428	10.00-20-16 PR	350	3380+1300	6615 x 2495 x 2825	2	6X4	FR	112	2	10	CKD	INA	50	44	-	-	-	-	-	-	-	-	-	-	2.2%	0.2%	94
		ISUZU	FVZ34 P	7790	MT	D	200	26000	6143	10.00-20-16PR	285	4650+650	8,365 x 2,450 x 2,860	3	6X4	FR	83	2	10	CKD	INA	42	94	-	-	-	-	-	-	-	-	-	-	3.2%	0.3%	136
			FVZ34 T LWB	7790	MT	D	200	26000	6143	10.00-20-16PR	285	6470+650	11,555 x 2,450 x 2,860	3	6X4	FR	83	2	10	CKD	INA	32	53	-	-	-	-	-	-	-	-	-	-	2.0%	0.2%	85
			FVM34 W	7790	MT	D	200	26000	7167	10.00-20-16PR	240	6470+650	11,480 x 2,450 x 2,860	3	6X2	FR	98	2	10	CKD	INA	40	95	-	-	-	-	-	-	-	-	-	-	3.2%	0.3%	135
			GVZ34K	7790	MT	D	200	26000	6143	10.00-20-16PR	285	4100+650	6865 x 2450 x 2860	3	6X4	FR	83	2	10	CKD	INA	-	10	-	-	-	-	-	-	-	-	-	-	0.2%	0.0%	10
		MAN TRUCK	CLA 18,280 BBS-WW	6900	MT	D	300	44000	5.26 : 1	11.00 R20	280	3,175	6593 X 2075 X 2766	3	6X4	FR	89	2	10	CBU	India	6	-	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	6
			CLA 26,280 BB-WW	6900	MT	D	300	26000	5.26 : 1	11.00 R20	280	4,600	10032 X 2075 X 2766	3	6X4	FR	89	2	10	CBU	India	6	7	-	-	-	-	-	-	-	-	-	-	0.3%	0.0%	13
			CLA 31,280 BB-WW	6900	MT	D	200	31000	7.63 : 1	11.00 R20	280	2,750	8282 x 2075 x 2766	3	8X4	FR	89	2	12	CBU	India	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			TGS 33,360 BBS-WW	10500	MT	D	400	70000	4.11 : 1	315/80 R 22.5	360	3,200	6775 X 2472 X 3110	3	6X4	FR	89	2	10	CBU	Germany	-	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			TGS 40,400 BBS-WW	10500	MT	D	400	80000	6.82 : 1	12.00 R 24	400	3,900	7592 X 2476 X 3367	3	6X4	FR	89	2	10	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			TGS 40,440 BBS-WW	12500	MT	D	400	120000	6.82 : 1	12.00 R 24	440	3,900	7592 X 2476 X 1558	3	6X6	FR	89	2	10	CBU	Germany	3	2	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	5
		MITSUBISHI FUSO	FN 527 ML (6X4)	7545	MT	D	200	24800	7500	10,00-20-16PR	220	5,450	8.515 X 2.460 X 2.75	3	6X4	FR	76	2	10	CKD	INA	228	205	-	-	-	-	-	-	-	-	-	-	10.1%	1.0%	433
			FN 527 MS (6X4)	7545	MT	D	200	24800	7500	10,00-20-16PR	220	5,320	8.260 X 2.460 X 2.75	3	6X4	FR	103	2	10	CKD	INA	144	69	-	-	-	-	-	-	-	-	-	-	5.0%	0.5%	213
			FJ 2523 (6X2) M/T	6373	MT	D	380	25000	5875	10/R20/ 16PR	230	7,050	11.967X2490X2960	3	6X2	FR	90	2	10	CBU	India	16	14	-	-	-	-	-	-	-	-	-	-	0.7%	0.1%	30
			FJ 2528 (6X4) M/T	6373	MT	D	380	25000	4778	10/R20/ 16PR	280	4,950	7460X2490X2975	3	6X4	FR	90	2	10	CBU	India	-	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			FZY1W 230T (4x2) M/T	6373	MT	D	380	25000	4778	10/R20/ 16PR	280	4,950	7460X2490X2975	3	6X4	FR	90	2	10	CBU	India	1	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			FZY1W 280T (4x2) M/T	6373	MT	D	380	37000	4300	11/R20/16PR	280	3,600	6030x2490x2975	3	4X2	FR	90	2	6	CBU	India	4	1	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	5
			FV 51 JH 380 PS (6X4)	12882	MT	D	400	50500	5571	12/R22.5-16 PR	380	4,370	6.750 X 2.490 X 2.945	3	6X4	FR	103	2	10	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			FZ 4928 T 6X4 M/T (T.HEAD)	6373	MT	D	380	37000	4300	-	280	4,650	6865 X 2490 X 2975	3	6X4	FR	90	2	10	CBU	Japan	1	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
		SCANIA	P360CB-4X4	13000	MT	D	300	24500	5.14	12.00 R24	360	5,100	10558 x 2500 x 3121	2	4X4	FF	9	2	4	CBU	Swedia	2	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			P410CB-4X4	13000	MT	D	300	24500	5.14	14.00 R20	410	4,500	8211 x 2500 x 3062	2	4X4	FF	6	2	4	CBU	Swedia	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			P360LA-6X4	13000	MT	D	300	28500	3.42	12.00 R20	360	3,300	6900 x 2500 x 2856	2	6X4	FF	12	2	6	CBU	Swedia	1	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			P360CB-6X4	13000	MT	D	300	41000	7.18	12.00 R24	360	4,100	9555 x 2590 x 3052	2	6X4	FF	12	2	6	CBU	Swedia	52	43	-	-	-	-	-	-	-	-	-	-	2.2%	0.2%	95
			P460LA-6X4	13000	MT	D	300	41000	7.18	12.00 R24	460	3,300	6990 x 2500 x 2919	2	6X4	FF	12	2	6	CBU	Swedia	4	-	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	4
			R580LA-6X4	16000	MT	D	1000	41000	7.18	12.00 R24	580	3,300	7075 x 2500 x 3725	2	6X4	FF	12	2	6	CBU	Swedia	-	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			P360CB-6X6	13000	MT	D	300	41000	5.14	12.00 R24	360	4,250	9555 x 2500 x 3052	2	6X6	FF	9	2	6	CBU	Swedia	16	7	-	-	-	-	-	-	-	-	-	-	0.5%	0.1%	23
			P410CA-6X6	13000	MT	D	300	41000	4.27	12.00 R24	410	3,700	7356 x 2500 x 3820	2	6X6	FF	12	2	6	CBU	Swedia	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			P410CB-8X4	13000	MT	D	600	50000	7.18	12.00 R24	410	5,500	10910 x 2500 x 3011	2	8X4	FF	12	2	8	CBU	Swedia	11	25	-	-	-	-	-	-	-	-	-	-	0.8%	0.1%	36
		TATA MOTORS	Prima LX 2528K	6700	MT	D	260	25000	5.58	10 x 20 - 16 PR NT	266	4,570	7905 x 2500 x 3130	2	6X4	FR	100	2	10	CBU	India	1	10	-	-	-	-	-	-	-	-	-	-	0.3%	0.0%	11
		UD TRUCKS	GKE28042T	7698	MT	D	315	37000	5570	11,00-20-16PR	280	3,500	5,940 x 2,500 x 3,228	3	4X2	FR	90	2	8	CBU	Thailand	19	60	-	-	-	-	-	-	-	-	-	-	1.8%	0.2%	79
			CDE25062R	7898	MT	D	315	26000	5570	11,00-20-16PR	250	6,970	11,175 x 2,500 x 3,172	3	6X2	FR	90	2	10	CBU	Thailand	49	63	-	-	-	-	-	-	-	-	-	-	2.6%	0.3%	112
			CDE28062R	7898	MT	D	315	26000	5570	11,00-20-16PR	280	6,970	11,175 x 2,500 x 3,172	3	6X2	FR	90	2	10	CBU	Thailand	15	10	-	-	-	-	-	-	-	-	-	-	0.6%	0.1%	25
			GDE 28062T	7898	MT	D	315	37000	5570	11,00-20-16PR	280	4,770	7,055 x 2,500 x 3,224	3	6X2	FR	90	2	10	CBU	Thailand	29	21	-	-	-	-	-	-	-	-	-	-	1.2%	0.1%	50
			CWE28064R	7698	MT	D	315	26000	6170	11,00-20-16PR	280	5,670	7,375 x 2,500 x 3,348	3	6X4	FR	90	2	10	CBU	Thailand	49	47	-	-	-	-	-	-	-	-	-	-	2.2%	0.2%	96
			CWE37064R	10837	MT	D	405	34000	5140	11,00-20-16PR	370	5,070	7,375 x 2,500 x 3,224	3	6X4	FR	90	2	10	CBU	Thailand	22	11	-	-	-	-	-	-	-	-	-	-	0.8%	0.1%	33
			GWE28064T	7898	MT	D	315	37000	6166	11,00-20-16PR	280	4,770	7,055 x 2,500 x 3,224	3	6X4	FR	90	2	10	CBU	Thailand	-	27	-	-	-	-	-	-	-	-	-	-	0.6%	0.1%	27
			GWE33064T	7698	MT	D	315	44000	6170	11,00-20-16PR	330	4,770	7,055 x 2,500 x 3,224	3	6X4	FR	90	2	10	CBU	Thailand	-	6	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	6
			GWE37064T	10837	MT	D	405	49000	5140	11,00-20-16PR	370	4,770	7,055 x 2,500 x 3,167	3	6X4	FR	90	2	10	CBU	Thailand	1	2	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	3
			TOTAL																			1,968	2,316	-	-	-	-	-	-	-	-	-	-	100%	10%	4,284
			CUMULATIVE																			1,968	4,284												100%	
			PICK UP/TRUCK SALES TOTAL																			21,380	21,467	-	-	-	-	-	-	-	-	-	-			42,847
			PICK UP/TRUCK SALES CUMULATIVE																			21,380	42,847													22.5%

6. DOUBLE CABIN SALES `JANFEB 2018

CATEGORY		BRAND	MODEL/TYPE	CC	TRANS	FUEL	TANK CAPT	GVW (Kg)	GEAR RATIO	WHEEL & TYRE SIZE	PS / HP	WHEEL BASE	DIMENSION	SEATER	DRIVE SYS.		SPEED	DOOR	WHEEL	CBU / CKD	ORIGIN COUNTRY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	D. Cabin Share	TOTAL 2018
DOUBLE CABIN 4X2 / 4X4	For All CC	CHEVROLET	All-New Colorado	2500	MT	D	76	0	0	245/70/R16	163	3,096	5347x2132x1785	5	4X4	AWD	6	2	4	CBU	Thailand	3	3	-	-	-	-	-	-	-	-	-	-	0.2%	6
		ISUZU	D-MAX DC	2499	MT	D	76	2750	4100	245/70/R16	109	3,095	5,190 x 1,860 x 1,785	5	4X4	4WD	-	4	4	CBU	Thailand	23	40	-	-	-	-	-	-	-	-	-	-	2.1%	63
			D-MAX Rodeo MT	2499	MT	D	76	2750	4300	245/70/R16	109	3,095	5,190 x 1,860 x 1,785	5	4X4	4WD	-	4	4	CBU	Thailand	12	-	-	-	-	-	-	-	-	-	-	-	0.4%	12
		MITSUBISHI MOTORS	Triton 2.5L DC EXCEED (4X4) AT	2477	AT	D	75	2760	4636	245/75/R16	178	3,000	5255 X 1815 X 1795	5	4X4	4WD	165	4	4	CBU	Thailand	12	18	-	-	-	-	-	-	-	-	-	-	1.0%	30
			Triton 2.5L DC EXCEED (4X4) MT	2477	AT	D	75	2760	4636	245/75/R16	178	3,000	5255 X 1815 X 1795	5	4X4	4WD	165	4	4	CBU	Thailand	61	73	-	-	-	-	-	-	-	-	-	-	4.5%	134
			Triton 2.5L DC GLS (4X4) MT	2477	MT	D	75	2760	4636	245/75/R16	178	3,000	5205 X 1815 X 1795	5	4X4	4WD	165	4	4	CBU	Thailand	413	282	-	-	-	-	-	-	-	-	-	-	23.4%	695
			Triton 2.5L DC HDX (4X4) MT	2477	MT	D	75	2760	4636	245/75/R16	178	3,000	5205 X 1815 X 1795	5	4X4	4WD	165	4	4	CBU	Thailand	513	433	-	-	-	-	-	-	-	-	-	-	31.9%	946
		NISSAN	New Navara SL 2.5 Mid MT	2500	MT	D	-	-	-	-	-	-	-	-	4X4	4WD	-	4	4	CBU	Thailand	55	161	-	-	-	-	-	-	-	-	-	-	7.3%	216
			New Navara VL 2.5 Hi MT	2500	AT	D	-	-	-	-	-	-	-	-	4X4	4WD	-	4	4	CBU	Thailand	15	4	-	-	-	-	-	-	-	-	-	-	0.6%	19
			New Navara VL 2.5 Hi AT	2500	MT	D	75	2860	-	-	-	-	-	-	4X4	4WD	-	4	4	CBU	Thailand	63	12	-	-	-	-	-	-	-	-	-	-	2.5%	75
			Navara 2.5 4x4 A/T Autech	2500	AT	D	75	2860	-	-	-	-	-	-	4X4	4WD	-	4	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	-
		TOYOTA	HiLux 2.4 P/U DC E	2394	MT	D	70	1880	-	255 / 70 R15C	144 / 3400	3,085	5260X1835X1850	4	4X4	4WD	-	4	4	CBU	Thailand	52	118	-	-	-	-	-	-	-	-	-	-	5.7%	170
			HiLux 2.4 P/U DC G	2394	MT	D	70	1880	-	255 / 70 R15C	144 / 3400	3,085	5260X1835X1850	4	4X4	4WD	-	4	4	CBU	Thailand	122	340	-	-	-	-	-	-	-	-	-	-	15.6%	462
			HiLux 2.4 P/U DC V	2394	AT	D	70	1880	-	255 / 70 R15C	144 / 3400	3,085	5260X1835X1850	4	4X4	4WD	-	4	4	CBU	Thailand	15	76	-	-	-	-	-	-	-	-	-	-	3.1%	91
			HiLux 2.4 P/U Extra Cab	2394	AT	D	70	1880	-	255 / 70 R15C	144 / 3400	3,085	5260X1835X1850	4	4X4	4WD	-	4	4	CBU	Thailand	10	35	-	-	-	-	-	-	-	-	-	-	1.5%	45
			TOTAL																			1,369	1,595	-	-	-	-	-	-	-	-	-	-	100%	2,964
			CUMULATIVE																			1,369	2,964												
			DOUBLE CABIN SALES TOTAL																			1,369	1,595	-	-	-	-	-	-	-	-	-	-		2,964
			DOUBLE CABIN SALES CUMULATIVE																			1,369	2,964												1.6%

7. AFFORDABLE ENERGY SAVING CARS 4X2 `JANFEB 2018

CATEGORY		BRAND	MODEL/TYPE	CC	TRANS	FUEL	TANK CAPT	GVW (Kg)	GEAR RATIO	WHEEL & TYRE SIZE	PS / HP	WHEEL BASE	DIMENSION P x L xT	SEATER	DRIVE SYS.		SPEED	DOOR	WHEEL	CBU / CKD	ORIGIN COUNTRY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Segment Share	Share	TOTAL 2018
AFFORDABLE ENERGY SAVING CARS 4X2	CC ≤ 1.200 [G]	DAIHATSU	New Ayla 1.0 D	998	MT	G	33	770	4643	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	5	5	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	10
			New Ayla 1.0 D+	998	MT	G	33	785	4485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	237	250	-	-	-	-	-	-	-	-	-	-	1.2%	1.2%	487
			New Ayla 1.0 M MT	998	MT	G	33	785	4485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	246	251	-	-	-	-	-	-	-	-	-	-	1.3%	1.3%	497
			New Ayla 1.0 M AT	998	AT	G	33	785	4485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	59	50	-	-	-	-	-	-	-	-	-	-	0.3%	0.3%	109
			New Ayla 1.0 X MT	998	MT	G	33	785	4485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	661	583	-	-	-	-	-	-	-	-	-	-	3.2%	3.2%	1,244
			New Ayla 1.0 X AT	998	AT	G	33	785	4485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	149	180	-	-	-	-	-	-	-	-	-	-	0.8%	0.8%	329
			New Ayla 1.0 X MT (Airbag)	998	MT	G	33	770	4643	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	5	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	5
			New Ayla 1.0 X AT (Airbag)	998	AT	G	33	785	4485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	5	2	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	7
			New Ayla 1.2 X MT (Airbag)	1197	MT	G	33	785	4485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	218	161	-	-	-	-	-	-	-	-	-	-	1.0%	1.0%	379
			New Ayla 1.2 X AT (Airbag)	1197	AT	G	33	785	4485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	60	60	-	-	-	-	-	-	-	-	-	-	0.3%	0.3%	120
			New Ayla 1.2 R MT (Airbag)	1197	MT	G	33	785	4485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	601	605	-	-	-	-	-	-	-	-	-	-	3.1%	3.1%	1,206
			New Ayla 1.2 R AT (Airbag)	1197	AT	G	33	785	4485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	365	338	-	-	-	-	-	-	-	-	-	-	1.8%	1.8%	703
			Sigra 1.0 D MT	998	MT	G	36	1480	5545	155/80 R13	67	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	263	291	-	-	-	-	-	-	-	-	-	-	1.4%	1.4%	554
			Sigra 1.0 M MT	998	MT	G	36	1480	5545	175/65 R14	67	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	709	540	-	-	-	-	-	-	-	-	-	-	3.2%	3.2%	1,249
			Sigra 1.2 X MT	1197	MT	G	36	1500	5077	175/65 R14	88	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	826	673	-	-	-	-	-	-	-	-	-	-	3.8%	3.8%	1,499
			Sigra 1.2 X AT	1197	AT	G	36	1500	4839	175/65 R14	88	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	10	10	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	20
			Sigra 1.2 R MT	1197	MT	G	36	1500	5077	175/65 R14	88	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	2,185	2,325	-	-	-	-	-	-	-	-	-	-	11.5%	11.5%	4,510
			Sigra 1.2 R AT	1197	AT	G	36	1570	4839	175/65 R14	88	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	149	151	-	-	-	-	-	-	-	-	-	-	0.8%	0.8%	300
		DATSUN	Datsun GO+ T	1198	MT	G	-	-	-	155/70 R13	-	2,450	3995 x 1635 x 1490	5+2	-	-	-	-	-	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Datsun GO+ T Option	1198	MT	G	-	-	-	155/70 R13	-	2,450	3995 x 1635 x 1490	5+2	-	-	-	-	-	CKD	INA	50	164	-	-	-	-	-	-	-	-	-	-	0.5%	0.5%	214
			Datsun GO+ T Style	1198	MT	G	-	-	-	155/70 R13	-	2,450	3995 x 1635 x 1490	5+2	-	-	-	-	-	CKD	INA	396	453	-	-	-	-	-	-	-	-	-	-	2.2%	2.2%	849
			Datsun GO+ T Ultimate	1198	MT	G	-	-	-	155/70 R14	-	2,451	3996 x 1635 x 1490	5+3	-	-	-	-	-	CKD	INA	63	-	-	-	-	-	-	-	-	-	-	-	0.2%	0.2%	63
			Datsun GO T Option	1198	MT	G	-	-	-	155/70 R13	-	2,450	3785 x 1635 x 1485	5	-	-	-	-	-	CKD	INA	5	28	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	33
			Datsun GO T Active	1198	MT	G	-	-	-	155/70 R13	-	2,450	3785 x 1635 x 1485	5	-	-	-	-	-	CKD	INA	-	480	-	-	-	-	-	-	-	-	-	-	1.2%	1.2%	480
			Datsun GO T Ultimate	1198	MT	G	-	-	-	155/70 R14	-	2,451	3786 x 1635 x 1485	6	-	-	-	-	-	CKD	INA	628	-	-	-	-	-	-	-	-	-	-	-	1.6%	1.6%	628
		HONDA	Brio SATYA S	1198	MT	G	35	960	-	-	88	2,345	3610 x 1680 x 1485	5	4X2	FF	-	5	4	CKD	INA	205	125	-	-	-	-	-	-	-	-	-	-	0.8%	0.8%	330
			Brio SATYA E	1198	MT	G	35	960	-	-	88	2,345	3610 x 1680 x 1485	5	4X2	FF	-	5	4	CKD	INA	1,829	1,898	-	-	-	-	-	-	-	-	-	-	9.5%	9.5%	3,727
			Brio SATYA E	1198	AT	G	35	960	-	-	88	2,345	3610 x 1680 x 1485	5	4X2	FF	-	5	4	CKD	INA	2,343	1,875	-	-	-	-	-	-	-	-	-	-	10.8%	10.8%	4,218
		SUZUKI	Karimun Wagon R GA	998	MT	G	35	1350	4388	145/80 R13	68	2,400	3600 X 1475 X 1700	5	4X2	FF	-	5	4	CKD	INA	2	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			Karimun Wagon R GL	998	MT	G	35	1350	4388	145/80 R13	68	2,400	3600 X 1475 X 1700	5	4X2	FF	-	5	4	CKD	INA	385	269	-	-	-	-	-	-	-	-	-	-	1.7%	1.7%	654
			Karimun Wagon R GX	998	MT	G	35	1350	4388	145/80 R13	68	2,400	3600 X 1475 X 1700	5	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Karimun Wagon R GS	998	MT	G	35	1350	4388	145/80 R13	68	2,400	3600 X 1475 X 1700	5	4X2	FF	-	5	4	CKD	INA	85	92	-	-	-	-	-	-	-	-	-	-	0.5%	0.5%	177
			Karimun Wagon R GA	998	AT	G	35	1350	4388	145/80 R13	68	2,400	3600 X 1475 X 1700	5	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Karimun Wagon R GL	998	AT	G	35	1350	4388	145/80 R13	68	2,400	3600 X 1475 X 1700	5	4X2	FF	-	5	4	CKD	INA	34	65	-	-	-	-	-	-	-	-	-	-	0.3%	0.3%	99
			Karimun Wagon R GX	998	AT	G	35	1350	4388	145/80 R13	68	2,400	3600 X 1475 X 1700	5	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Karimun Wagon R GS	998	AT	G	35	1350	4388	145/80 R13	68	2,400	3600 X 1475 X 1700	5	4X2	FF	-	5	4	CKD	INA	29	72	-	-	-	-	-	-	-	-	-	-	0.3%	0.3%	101
		TOYOTA	New Agya 1.0 G	1000	MT	G	33	-	4485	175/65R14	65.3 / 6000	2,450	3600X1620X1520	5	4X2	FF	-	5	4	CKD	INA	15	15	-	-	-	-	-	-	-	-	-	-	0.1%	0.1%	30
			New Agya 1.2 G	1200	MT	G	33	-	4485	175/65R14	65.3 / 6000	2,450	3600X1620X1520	5	4X2	FF	-	5	4	CKD	INA	324	284	-	-	-	-	-	-	-	-	-	-	1.6%	1.6%	608
			New Agya1.2 G AT	1200	AT	G	33	-	4485	175/65R14	65.3 / 6000	2,450	3600X1620X1520	5	4X2	FF	-	5	4	CKD	INA	277	54	-	-	-	-	-	-	-	-	-	-	0.8%	0.8%	331
			New Agya1.2 G TRD AT	1200	MT	G	33	-	4485	175/65R14	65.3 / 6000	2,450	3600X1620X1520	5	4X2	FF	-	5	4	CKD	INA	750	586	-	-	-	-	-	-	-	-	-	-	3.4%	3.4%	1,336
			New Agya1.2 G TRD	1200	AT	G	33	-	4485	175/65R14	65.3 / 6000	2,450	3600X1620X1520	5	4X2	FF	-	5	4	CKD	INA	892	1,069	-	-	-	-	-	-	-	-	-	-	5.0%	5.0%	1,961
			Calya 1.2 E STD	1200	MT	G	-	-	-	175/65R14	-	2,525	-	7	4X2	FR	5	4	4	CKD	INA	251	226	-	-	-	-	-	-	-	-	-	-	1.2%	1.2%	477
			Calya 1.2 E	1200	MT	G	-	-	-	175/65R14	-	2,525	-	7	4X2	FR	5	4	4	CKD	INA	504	562	-	-	-	-	-	-	-	-	-	-	2.7%	2.7%	1,066
			Calya 1.2 E A/T	1200	AT	G	-	-	-	175/65R14	-	2,525	-	7	4X2	FR	4	4	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Calya 1.2 G	1200	MT	G	-	-	-	175/65R14	-	2,525	-	7	4X2	FR	5	4	4	CKD	INA	3,471	3,042	-	-	-	-	-	-	-	-	-	-	16.7%	16.7%	6,513
			Calya 1.2 G A/T	1200	AT	G	-	-	-	175/65R14	-	2,525	-	7	4X2	FR	4	4	4	CKD	INA	1,096	849	-	-	-	-	-	-	-	-	-	-	5.0%	5.0%	1,945
			TOTAL																			20,387	18,683	-	-	-	-	-	-	-	-	-	-	100%	100%	39,070
			CUMULATIVE																			20,387	39,070													
	CC ≤ 1.500 [D]	-	-	-	-	-	-	-							-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	#DIV/0!	0.0%	-
			-	-	-	-	-	-							-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	#DIV/0!	0.0%	-
		TOTAL																				-	-	-	-	-	-	-	-	-	-	-	-	#DIV/0!	0%	-
		CUMULATIVE																				-	-	-	-	-	-	-	-	-	-	-	-			
			AFFORDABLE ENERGY SAVING CARS 4X2 SALES TOTAL																			20,387	18,683	-	-	-	-	-	-	-	-	-	-		100%	39,070
			AFFORDABLE ENERGY SAVING CARS 4X2SALES CUMULATIVE																			20,387	39,070													21%

PASSENGER CAR SALES (SEDAN, 4X2, 4X4, KBM HEMAT ENERGI & TERJANGKAU)

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
PASSENGER CAR SALES TOTAL	72,809	70,975	-	-	-	-	-	-	-	-	-	-	143,784
PASSENGER CAR SALES CUMULATIVE	72,809	143,784											75.6%

COMMERCIAL VEHICLE SALES (PU, TRUCK, BUS, DC)

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
COMMERCIAL VEHICLE SALES TOTAL	23,166	23,286	-	-	-	-	-	-	-	-	-	-	46,452
COMMERCIAL VEHICLE SALES CUMULATIVE	23,166	46,452											24.4%

DOMESTIC SALES TOTAL

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
DOMESTIC SALES TOTAL	95,975	94,261	-	-	-	-	-	-	-	-	-	-	190,236
DOMESTIC SALES CUMULATIVE	95,975	190,236											100%

©GAIKINDO-18